

(Click on Well Log ID to Access Image of Well Strip Log)

WRIGHT

(Records are Sorted by Township, Range, and Section)

LOG ID: 014128

WELL TYPE Private Well

DRILL DATE:

1955/08/25

285FT

DRILL DEPTH: DEPTH TO BED:

130FT

144

TOWNSHIP 28N

RANGE 12W

SECTION 16

ELEVATION:

1,523FT

County Base Map

UTM X 565.943.07

UTM Y 4,107,513.17

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS**:

OLD WELL DEEPENED 130-285; YIELD 28 G/HOUR

LOG ID: 010037

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1947/10/31

70FT

FT

TOWNSHIP 28N

RANGE 12W

SECTION 16

ELEVATION: 1,459FT

UTM X

UTM Y

DEPTH TO BED: 5FT

566,143.07 4,106,689.17

ZONE 15

S.W.L. (BEFORE CASING):

39

REMARKS:

REMARKS:

2 MI SE OF MTN GROVE, S ON WALL ST.

S.W.L. (AFTER CASING):

LOG ID: 012230

WELL TYPE Private Well

DRILL DATE:

1952/07/03

DRILL DEPTH:

121FT

DEPTH TO BED:

5FT

FT

TOWNSHIP RANGE 12W

SECTION 16

ELEVATION:

1,510FT

UTM X

UTM Y 4,106,689.17

565,143.07

ZONE 15

YIELD 1/6 GPM @ 65-70'; 1/8 MI NE OF NEW REA SUBSTATION S

OF MTN GROVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

48

LOG ID:

WELL TYPE Private Well

011668 **DRILL DATE:**

DRILL DEPTH:

DEPTH TO BED:

1950/10/17 150FT

5FT

35

TOWNSHIP 28N

28N

RANGE

12W

SECTION 16

ELEVATION:

1.501FT

UTM X 565,743.07

UTM Y 4,107,719.18

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

0.5 MI E, 0.75 MI S OF MTN GROVE SQUARE

S.W.L. (AFTER CASING):

3/1/2007

6,421



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010454

DRILL DEPTH:

WELL TYPE Private Well

1947/10/24 DRILL DATE:

70FT

DEPTH TO BED: 5FT

RANGE 12W

SECTION 16

ELEVATION:

UTM X **UTMY** 4,106,689.17

566,543.07

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 16 FT

YIELD 10 G/HOUR (1/6 GPM); 2 MI SE OF MTN GROVE **REMARKS**:

LOG ID: 010461

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1947/04/28

TOWNSHIP 28N

TOWNSHIP

28N

RANGE

SECTION

ELEVATION: 1,477FT

292FT

12W 16

UTM X UTMY

5FT

4,107,307.17 565,943.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

YIELD 5/12 GPM; 0.5 MI E, 0.5 MI S OF MTN GROVE ON WALL ST

S.W.L. (AFTER CASING):

29

LOG ID: 010380

WELL TYPE Private Well

DRILL DATE:

1948/08/05

DRILL DEPTH: 140FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 63 **TOWNSHIP** 28N

REMARKS:

RANGE 12W

SECTION 16

ELEVATION:

1,534FT

UTM X

UTM Y 565,543.07 4,106,689.17

ZONE 15

YIELD 0.1 GPM; 2 MI S OF MTN GROVE ON WALL ST, 0.25 MI W

LOG ID: 011716

WELL TYPE Private Well

DRILL DATE:

1951/06/23

DRILL DEPTH:

DEPTH TO BED:

500FT

41FT

TOWNSHIP 28N

RANGE 12W

SECTION 17

ELEVATION:

1,516FT

UTM X

UTM Y 4,107,246.18

564.024.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

3/8 MI N OF SUNNY SLOPE SCHOOL ON HWY D **REMARKS:**

S.W.L. (AFTER CASING):

240

6,422 3/1/2007



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007705

WELL TYPE Private Well

1941/09/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,520FT

28N 12W 17 **DRILL DEPTH:** 45FT

UTM X **UTMY** DEPTH TO BED:

563,524.07 4,106,734.17

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 28

LOG ID: 008335

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1943/08/04 **RANGE ELEVATION:** 1,492FT

28N 12W 17 DRILL DEPTH: 71FT

UTM X **UTMY** DEPTH TO BED: 17FT 563,624.07 4,107,654.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 24

LOG ID: 013995

WELL TYPE Private Well

DRILL DATE: 1955// **TOWNSHIP RANGE SECTION ELEVATION:** 1,510FT

28N 12W 19 **DRILL DEPTH:** 190FT

UTM X UTM Y **DEPTH TO BED:** 60FT 563,303.08 4,105,350.16

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 011360

WELL TYPE Private Well

1938/09/09 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,558FT

28N 12W 20 **DRILL DEPTH:**

DEPTH TO BED: 564,310.08 4,105,928.17

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING):

SEE LOG #5024 - OLD WELL DEEPENED **REMARKS**: S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005024

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1938/09/09 DRILL DATE:

130FT

10FT

TOWNSHIP 28N

RANGE 12W

SECTION 20

ELEVATION:

1,558FT

UTMY

UTM X

564,310.08 4,105,928.17

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

105-130'

OLD WELL (see log #5024) DEEPENED (see log #11360) IN 1950,

LOG ID:

006365

WELL TYPE

Noncommunity Public Well

36

DRILL DATE:

1940/08/09

TOWNSHIP

DRILL DEPTH: DEPTH TO BED: 120FT 75FT

27

28N

RANGE 12W

SECTION 20

ELEVATION: 1,547FT

UTM X UTMY

564,110.07 4,106,534.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED 75-120'; S OF MTN GROVE 2.5 MI

S.W.L. (AFTER CASING):

LOG ID: 012236

WELL TYPE

Private Well

DRILL DATE:

1952/11/07

FT

TOWNSHIP

RANGE 12W

SECTION 20

ELEVATION:

1,612FT

DRILL DEPTH:

250FT

28N

UTM X 564,910.07

UTM Y 4,106,130.17

DEPTH TO BED:

140FT

111

REMARKS:

REMARKS:

1 MI S OF MTN GROVE ON TOP OF CROW HILL, W SIDE OF RD

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012229

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1952/05/03

195FT

95FT

76

TOWNSHIP 28N

RANGE 12W

SECTION 20

ELEVATION:

1,595FT

UTM X

UTM Y

564.710.08 4,105,928.16

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

1.5 MI S OF MTN GROVE - OLD WELL DEEPENED 95-195'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027657

DEPTH TO BED:

WELL TYPE Private Well

1971/12/07 DRILL DATE: **TOWNSHIP**

RANGE SECTION 28N 12W 21

ELEVATION:

1,494FT

DRILL DEPTH: 445FT

UTM X

UTMY 4,106,511.17

305FT

110

565,936.07

S.W.L. (BEFORE CASING): FT

REMARKS:

ZONE 15 OLD WELL DEEPENED 305-445'; 1 MI S OF MTN GROVE ON WHITE

ELEPH RANCH

LOG ID: 014125

WELL TYPE Private Well

DRILL DATE:

S.W.L. (AFTER CASING):

TOWNSHIP 1955/10/17

SECTION RANGE

ELEVATION: 1,550FT

DRILL DEPTH:

165FT

12W 21

> **UTM X UTMY**

565,136.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD 1.5 GPM

28N

S.W.L. (AFTER CASING):

85

5FT

LOG ID: 013705

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1954/12/09

TOWNSHIP RANGE SECTION 28N 12W 21

ELEVATION: 1,496FT

DRILL DEPTH:

155FT

UTM Y

DEPTH TO BED:

65FT

50

UTM X 565,736.07

4,106,511.17

4,106,101.17

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

formerly in name of T.C. Mead - old well (see log #13705) deepened

see log (#18733) 65 to 155 ft; 2 miles S of Mtn Grove

LOG ID: 018733

WELL TYPE Private Well

DRILL DATE:

1954/12/09

TOWNSHIP RANGE SECTION

21

ELEVATION: 1,506FT

ZONE 15

DRILL DEPTH:

28N 12W

565.736.07

UTM X

UTM Y 4,106,511.17

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS:

formerly in name of T.C. Mead - old well (see log #13705) deepened

S.W.L. (AFTER CASING): see log (#18733) 65 to 155 ft; 2 miles S of Mtn Grove



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011721

DEPTH TO BED:

WELL TYPE Private Well

1951/04/25 DRILL DATE:

85FT 5FT

24

28N

RANGE SECTION 12W

ELEVATION:

1,428FT

DRILL DEPTH:

21

UTM X 565,536.07

UTMY 4,106,511.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

YIELD 0.5 GPM; 2 MI S ON WALL ST, 0.25 MI W ON S SIDE **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 011723

WELL TYPE Private Well

DRILL DATE:

1950/12/22

TOWNSHIP

TOWNSHIP

RANGE

SECTION 21

ELEVATION: 1,345FT

ZONE 15

DRILL DEPTH: 120FT 28N 12W

UTM X 565,936.07

UTMY 4,105,691.16

10FT

REMARKS:

ABT 3 MI S OF MTN GROVE ON LITTLE CREEK RD

S.W.L. (AFTER CASING): 50

S.W.L. (BEFORE CASING):

LOG ID:

DEPTH TO BED:

012235

WELL TYPE Private Well

DRILL DATE:

1952/07/15

TOWNSHIP 28N

RANGE

SECTION 21

ELEVATION:

ZONE 15

1,519FT

DRILL DEPTH:

150FT

12W

UTM X 565,536.07

UTM Y 4,106,511.17

DEPTH TO BED:

5FT

64

REMARKS:

YIELD 8 G/HOUR @ 70'; 2 MI S OF MTN GROVE, THEN 0.25 MI W

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 009966

WELL TYPE Private Well

DRILL DATE:

1946/12/17

TOWNSHIP

RANGE

SECTION ELEVATION:

DRILL DEPTH:

DEPTH TO BED:

200FT

28N 12W 21

UTM X UTM Y

565.236.08

4,105,178.16

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.25 MI W & 1.25 MI S OF MTN GROVE, TOP OF CROW HILL **REMARKS**:

S.W.L. (AFTER CASING):

110



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010530

DRILL DEPTH:

WELL TYPE Private Well

1948/11/04 DRILL DATE:

76FT

12FT

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 41 **TOWNSHIP RANGE SECTION** 28N

YIELD 1/6 GPM @ 55'

12W 28

ELEVATION:

1,435FT

UTM X 565,503.08

UTMY 4,103,873.15

ZONE 15

LOG ID: 022391

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1963/09/25

TOWNSHIP 28N

TOWNSHIP

28N

28N

REMARKS:

RANGE 12W

SECTION 29

SECTION

30

ELEVATION: 1,514FT

DRILL DEPTH: 120FT

UTM X

UTMY 4,103,500.15

1,521FT

UTM Y

4,104,437.16

564,297.08 ZONE 15

ELEVATION:

UTM X

562,387.08

S.W.L. (BEFORE CASING):

FT

YIELD 3+ G/HOUR; 4 MI S OF MTN GROVE REMARKS:

RANGE

12W

S.W.L. (AFTER CASING):

62

25FT

LOG ID:

WELL TYPE Private Well

021537 **DRILL DATE:**

DRILL DEPTH:

1962/11/24

387FT

DEPTH TO BED: 50FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

007175

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1941/09/09

75FT

93FT

179

FT

TOWNSHIP

RANGE SECTION 12W

30

ELEVATION:

1,527FT

UTM X UTM Y 563.187.08 4,104,845.16

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

60

REMARKS:

3/1/2007

6,427



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011720

DRILL DEPTH:

WELL TYPE Private Well

1951/07/12 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 28N 12W 30 181FT

UTM X **UTMY** DEPTH TO BED: 27FT 562,487.08 4,104,947.16

ZONE 15

UTM X

UTM Y

1,460FT

S.W.L. (BEFORE CASING): FT YIELD 3.5 GPM; 3 MI S & 2 MI W OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING): 46

LOG ID: 011725

WELL TYPE Private Well

DRILL DATE: 1951/05/05 **TOWNSHIP SECTION RANGE ELEVATION:**

REMARKS:

28N 12W 31 DRILL DEPTH: 190FT

UTM X UTMY DEPTH TO BED: 72FT 4,103,310.15 562,268.09

YIELD 4.5 GPM; 2.25 MI N OF MTN GROVE, THEN 1.5 MI W

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 125

LOG ID: 024959

WELL TYPE Private Well

DRILL DATE: 1966/03/15 **TOWNSHIP RANGE SECTION ELEVATION:** 1,465FT

28N 12W 32 **DRILL DEPTH:** 200FT

UTM X UTM Y **DEPTH TO BED:** 97FT 563,474.09 4,102,093.14

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** OLD WELL DEEPENED 97-200'; 0.5 MI N DOUGLAS CO LINE ON

105 HWY D S.W.L. (AFTER CASING):

250

LOG ID:

WELL TYPE Private Well 023412

S.W.L. (AFTER CASING):

1964/12/15 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,474FT

28N 12W 32 **DRILL DEPTH:** 465FT

DEPTH TO BED: 563.874.09 4,102,693.14 55FT

ZONE 15

S.W.L. (BEFORE CASING): FT 5 MI S OF MTN GROVE ON HWY O, E SIDE **REMARKS:**



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020356

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1961/08/ DRILL DATE:

180FT

150FT

140

TOWNSHIP RANGE SECTION 28N 12W 32

ELEVATION:

1,418FT

UTM X

UTMY 564,274.09 4,102,493.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED 150-180; 4 MI W OF MTN GROVE, 0.5 MI E

OF HWY D

LOG ID: 020755

WELL TYPE Private Well

DRILL DATE:

1961/11/28

TOWNSHIP

TOWNSHIP

28N

RANGE

RANGE

12W

SECTION 33

ELEVATION: 1,403FT

DRILL DEPTH:

183FT

28N 12W

UTM X

ZONE 15

ZONE 15

565,869.08

UTMY 4,103,276.14

1,298FT

UTM Y

4,103,175.14

FT

FT

DEPTH TO BED: 20FT

138

REMARKS:

REMARKS:

4 MI S THEN 1.5 MI SE, 0.5 MI W OF TEXAS COUNTY LINE

SECTION

33

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 007022

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1941/07/10

100FT

5FT

14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006198

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1940/06/06

101FT

12FT

TOWNSHIP 28N

RANGE 12W

SECTION 33

ELEVATION:

ELEVATION:

UTM X

565,569.08

1,219FT

UTM X 566.469.08

UTM Y 4,102,670.14

ZONE 15

S.W.L. (BEFORE CASING):

FT

ON SOUTH ABOUT CENTER OF 40 ACRES **REMARKS:**

S.W.L. (AFTER CASING): 4



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022568

DRILL DEPTH:

WELL TYPE Private Well

1963/11/05 DRILL DATE:

320FT

DEPTH TO BED: 20FT **TOWNSHIP RANGE SECTION** 28N 12W

ELEVATION:

1,467FT

UTM X 566,577.05

UTMY 4,111,137.20

ZONE 15

S.W.L. (BEFORE CASING):

1.5 MI NE OF MTN GROVE - YIELD 2 GPM @ 150' **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 006504

WELL TYPE Private Well

DRILL DATE:

1940/10/05

TOWNSHIP

RANGE

SECTION 4

ELEVATION:

ZONE 15

1,437FT

DRILL DEPTH:

130FT

28N 12W

> **UTM X** 565,177.06

UTMY 4,111,341.20

DEPTH TO BED: 23FT

44

FT

FT

REMARKS: 1 MI N OF MTN GROVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009621

WELL TYPE

Community Public Well

DRILL DATE:

1947/08/

TOWNSHIP 28N

RANGE SECTION 4

ELEVATION:

1,480FT

DRILL DEPTH:

1,525FT

12W

UTM X

UTM Y

DEPTH TO BED:

15FT

565,227.06

4,110,280.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

229

REMARKS:

LOG ID:

008548

WELL TYPE Private Well

DRILL DATE:

1944/01/18

TOWNSHIP 28N

RANGE

SECTION

ELEVATION:

1,477FT

DRILL DEPTH:

DEPTH TO BED:

252FT 20FT 12W

UTM X

UTM Y

566.577.06 4,110,321.19 ZONE 15

FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

50

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011621

WELL TYPE

Community Public Well

DRILL DATE:

1951/08/

TOWNSHIP 28N

RANGE SECTION **ELEVATION:**

1,465FT

DRILL DEPTH:

1,550FT

12W 4

UTM X 566,071.06

UTMY 4,110,175.19

DEPTH TO BED:

15FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

235

97

FT

FT

FT

REMARKS:

LOG ID: 024965

WELL TYPE Private Well

DRILL DATE:

1966/05/31

TOWNSHIP

RANGE

SECTION ELEVATION:

1,500FT

DRILL DEPTH:

350FT

28N 12W 5

UTM X

UTMY 4,110,366.20

564,349.06

DEPTH TO BED: S.W.L. (BEFORE CASING):

35FT

60

REMARKS:

formerly in name of Paul Royal

ZONE 15

S.W.L. (AFTER CASING):

LOG ID: 023185

WELL TYPE

Private Well

DRILL DATE:

1964/08/12

TOWNSHIP

RANGE

SECTION 5

ELEVATION: 1,446FT

DRILL DEPTH:

320FT

28N 12W

UTM X UTM Y

DEPTH TO BED:

100FT

120

564,349.06

4,110,764.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED 100-320'; 0.75 MI W OF MTN GROVE

SQUARE

LOG ID:

WELL TYPE

007148

Private Well

DRILL DATE:

1941/09/22

TOWNSHIP 28N

RANGE

SECTION 5

ELEVATION:

UTM X

1,463FT

DRILL DEPTH:

DEPTH TO BED:

115FT 18FT

12W

UTM Y

564.749.06

4,110,764.20

ZONE 15

S.W.L. (BEFORE CASING): 1 FT YIELD - 8 G/HOUR **REMARKS**:

S.W.L. (AFTER CASING):

47

FΤ



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027414

WELL TYPE Private Well

285FT

1970/10/ DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 28N 12W

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 60FT 561,941.07 4,110,633.21

6

6

6

ZONE 15

1,475FT

UTM Y

S.W.L. (BEFORE CASING): FT 1.5 MI W & 1 MI N OF HWY 60 AT MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING): 185

LOG ID: 010038

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1948/03/18 **RANGE ELEVATION:** 1,473FT

28N 12W DRILL DEPTH: 126FT

UTM X **UTMY** DEPTH TO BED: 60FT 562,141.06 4,110,833.21

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 30

LOG ID: 008914

WELL TYPE Private Well

DRILL DATE: 1945/07/06 **TOWNSHIP RANGE SECTION ELEVATION:** 1,408FT

28N 12W **DRILL DEPTH:** 131FT

UTM X UTM Y

DEPTH TO BED: 563,341.06 4,110,633.20 25FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 2 MI NW OF MTN GROVE

27 S.W.L. (AFTER CASING):

LOG ID: 011194

WELL TYPE Private Well

1949/11/16 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,469FT

28N 12W 6 **DRILL DEPTH:** 125FT

UTM X DEPTH TO BED: 40FT 562.141.07 4,110,027.20

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI W OF HWY 60, 0.25 MI N OF MTN GROVE ON W SIDE OF RD **REMARKS**:

S.W.L. (AFTER CASING): 18



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009473

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1946/07/17 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,372FT

230FT 28N 12W 6

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 106FT 563,241.06 4,110,934.20

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2 MI NW OF MTN GROVE, DOWN HILL FROM CHICKEN HOUSE

S.W.L. (AFTER CASING): 53

LOG ID: 026717

WELL TYPE Private Well

DRILL DATE: 1969/03/26 TOWNSHIP RANGE SECTION ELEVATION: 1,502FT

DRILL DEPTH: 600FT 28N 12W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 35FT 562,926.07 4,109,618.20

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SCANNED - NO SAMPLES RUN, NO LITHOLOGIES, TOPS ONLY

S.W.L. (AFTER CASING):

LOG ID: 024966

WELL TYPE Private Well

<u>DRILL DATE:</u> 1966/11/28 <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,440FT

DRILL DEPTH: 445FT 28N 12W 7

REMARKS:

UTM X UTM Y

<u>DEPTH TO BED:</u> 25FT 563,326.06 4,109,822.20

0.5 MI W OF MTN GROVE, N SIDE HWY 60

S.W.L. (BEFORE CASING): FT PEMARKO A SMUM OF MEN OR OVER MODE HAVE OR

S.W.L. (AFTER CASING): 100

LOG ID: 013153

WELL TYPE Private Well

<u>DRILL DATE:</u> 1954/08/24 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,470FT

DRILL DEPTH: 250FT 28N

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 15FT 563,126.07 4,109,822.20

12W

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.5 MI W OF MTN GROVE CITY LIMITS ON HWY 60

S.W.L. (AFTER CASING): 67



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022878

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1964/01/01 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,475FT

110FT 28N 12W 7

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 40FT 562,326.07 4,109,618.20

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 0.75 MI W OF MTN GROVE ON HWY 60

S.W.L. (AFTER CASING): 40

LOG ID:

WELL TYPE

020283 Noncommunity Public Well

DRILL DATE: 1961/08/28 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,472FT

DRILL DEPTH: 415FT 28N 12W 7

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 561,926.07 4,109,618.20

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS: YIELD 12 GPM @ 250'

S.W.L. (AFTER CASING): 155

LOG ID:

WELL TYPE

007089 Private Well

<u>DRILL DATE:</u> 1941/07/21 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,494FT

DRILL DEPTH: 100FT 28N 12W 7

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 20FT 562,426.07 4,108,904.19

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 21

LOG ID:

WELL TYPE

006053 Private Well

DRILL DATE: 1940/04/19 <u>TOWNSHIP</u> RANGE <u>SECTION</u> <u>ELEVATION:</u> 1,474FT

DRILL DEPTH: 100FT 28N 12W 7

<u>DEPTH TO BED:</u> 32FT 563,226.07 4,108,496.19

ZONE 15

UTM Y

UTM X

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of John Stillwell - old well (see log #6053) deepened

S.W.L. (AFTER CASING): 24 (see log #10982) 51 to 100 ft; yield from 1-5 GPM



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005229

DEPTH TO BED:

WELL TYPE Private Well

1938/12/20 DRILL DATE:

TOWNSHIP RANGE 28N 12W

SECTION

ELEVATION:

1,485FT

DRILL DEPTH: 132FT 7

UTM X **UTMY**

563,126.07

4,109,822.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: OLD WELL DEEPENED 73-132'

S.W.L. (AFTER CASING):

WELL TYPE Private Well

009443 DRILL DATE:

LOG ID:

1946/06/26

TOWNSHIP 28N

SECTION RANGE

ELEVATION: 1,489FT

ZONE 15

DRILL DEPTH:

200FT

39

73FT

44

12W 7

UTM X

UTMY

DEPTH TO BED: 35FT 562,526.07

4,109,822.20

S.W.L. (BEFORE CASING):

FT

REMARKS: 1.75 MI W OF MTN GROVE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

010982

1940/04/19

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,474FT

DRILL DEPTH:

100FT

28N 12W 7

> UTM X UTM Y

DEPTH TO BED:

32FT

24

563,226.07 4,108,496.19

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: formerly in name of John Stillwell - SEE LOG #6053 - OLD WELL

DEEPENED

LOG ID:

WELL TYPE

009965

Private Well

DRILL DATE:

1946/11/21

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,474FT

562.226.07

DRILL DEPTH:

DEPTH TO BED:

185FT

28N 12W 7

UTM X UTM Y

10FT

4,109,312.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

2.5 MI W & 0.25 MI S OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING):

21



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008735

WELL TYPE Private Well

1944/10/26 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 28N 12W

ELEVATION:

1,475FT

DRILL DEPTH: 240FT DEPTH TO BED:

UTM X 562,926.07

UTMY 4,109,618.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

FT

REMARKS: 10-FT SAMPLES

S.W.L. (AFTER CASING):

LOG ID: 010983

WELL TYPE Private Well

DRILL DATE:

1949/06/16

TOWNSHIP

SECTION RANGE 7

ELEVATION:

1,480FT

DRILL DEPTH:

195FT

12FT

60

28N 12W

UTM X

UTMY 4,109,822.20

DEPTH TO BED:

561,926.07

ZONE 15

S.W.L. (BEFORE CASING):

37FT

2 MI W OF MTN GROVE ON HWY 60 REMARKS:

S.W.L. (AFTER CASING): 41

LOG ID: 028186

WELL TYPE

Community Public Well

DRILL DATE:

1978/10/27

TOWNSHIP

RANGE

SECTION 8

ELEVATION:

1,500FT

DRILL DEPTH:

1,615FT

28N

12W

UTM X 563,631.07

UTM Y 4,108,958.19

DEPTH TO BED:

30FT

217

290

REMARKS:

"EXTREMELY GOOD LOG"

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 014126

WELL TYPE Private Well

DRILL DATE:

1955/09/23

TOWNSHIP 28N

RANGE

SECTION 8

ELEVATION:

1,481FT

DRILL DEPTH:

DEPTH TO BED:

260FT 25FT

135

12W

UTM X 563.542.06

UTM Y 4,109,774.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006990

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

25FT

12FT

93FT

35

25

1940/10/31 DRILL DATE: **TOWNSHIP RANGE**

> 28N 12W 8

ELEVATION: 1,478FT

UTM X **UTMY**

564,342.07 4,108,350.18

ZONE 15

S.W.L. (BEFORE CASING): FT

0.25 MI N OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING): 7

LOG ID: 008201

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1943/04/02 **TOWNSHIP SECTION RANGE**

28N 12W 8 **ELEVATION:** 1,475FT

DRILL DEPTH: 96FT

UTM X **UTMY** 564,242.07 4,109,062.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED 93-96'; 0.25 MI E OF NW CORNER OF MTN

8

SECTION

GROVE

LOG ID: 011718

WELL TYPE Private Well

DRILL DATE: 1951/10/01

TOWNSHIP RANGE SECTION 12W

ELEVATION: 1,475FT

DRILL DEPTH: 133FT

UTM X UTM Y

DEPTH TO BED: 43FT 563,742.07 4,108,756.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "ALL WATER YELLOW"

28N

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

024638 Community Public Well

DRILL DATE: 1966//

RANGE SECTION TOWNSHIP

28N 12W 9

1,536FT

ELEVATION:

DEPTH TO BED: 10FT

UTM X UTM Y 565.623.06 4,108,407.18

ZONE 15

S.W.L. (BEFORE CASING): 391 FT **REMARKS:**

1,575FT

S.W.L. (AFTER CASING): 325 FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002391

WELL TYPE

Community Public Well

1931/02/ DRILL DATE:

TOWNSHIP RANGE SECTION 28N 12W

ELEVATION:

1,457FT

DRILL DEPTH:

1,036FT

9

UTMY

DEPTH TO BED: 10FT

UTM X 565,169.06

4,109,131.19

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

160

LOG ID:

WELL TYPE

001896 Community Public Well

DRILL DATE:

1912/00/00

TOWNSHIP

SECTION RANGE

9

ELEVATION: 1,470FT

DRILL DEPTH:

1,160FT

28N 12W

UTM X

DEPTH TO BED: 18FT

565,569.06

UTMY 4,108,715.18

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 017772

WELL TYPE

Private Well

DRILL DATE:

1954/10/08

TOWNSHIP RANGE

SECTION

ELEVATION:

1,476FT

DRILL DEPTH:

200FT

13W

UTM X

UTM Y 4,110,056.20

DEPTH TO BED:

45FT

ZONE 15 3 MI W OF MTN GROVE ON HWY 60, THEN 0.25 MI N ON W SIDE

560,929.07

S.W.L. (AFTER CASING):

12

FT

FT

REMARKS:

OF RD

28N

LOG ID: 017752

WELL TYPE

S.W.L. (BEFORE CASING):

Private Well

DRILL DATE:

1958/09/10

RANGE TOWNSHIP 28N 13W

SECTION

ELEVATION:

1,479FT

DRILL DEPTH:

DEPTH TO BED:

150FT 55FT

UTM X

560.729.07

UTM Y 4,111,484.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

35

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012478

WELL TYPE Private Well

1953/09/15 DRILL DATE:

TOWNSHIP 28N

SECTION

ELEVATION:

1,478FT

DRILL DEPTH:

165FT

13W 1

RANGE

UTM X 560,929.07

UTMY 4,110,056.20

DEPTH TO BED: 82FT

S.W.L. (BEFORE CASING):

FT

3 MI W THEN 0.25 MI N OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING): 40

LOG ID: 008200

WELL TYPE Private Well

DRILL DATE:

1943/04/09

TOWNSHIP

SECTION RANGE

ELEVATION: 1,490FT

ZONE 15

DRILL DEPTH:

86FT

28N 13W

UTM X

DEPTH TO BED:

76FT

12

UTMY 4,110,158.20

561,629.07 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED 76-86'; YIELD 2.5 GPM; 2.5 MI W, 0.25 MI N

1

MTN GROVE

LOG ID: 008381

WELL TYPE Private Well

DRILL DATE:

1943/09/21

TOWNSHIP RANGE SECTION **ELEVATION:**

DRILL DEPTH:

54FT

28N 13W

> UTM X UTM Y

DEPTH TO BED:

50FT

30

561,229.06 4,111,484.21

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

027741

DRILL DATE:

TOWNSHIP

RANGE 13W

SECTION 10

ELEVATION:

1,280FT

DRILL DEPTH:

DEPTH TO BED:

253FT 15FT

UTM X

UTM Y

558,324.08

4,109,688.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SCANNED

28N

S.W.L. (AFTER CASING): 35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019307

DRILL DEPTH:

WELL TYPE Private Well

<u>DRILL DATE:</u> 1960/04/06 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u>

300FT 28N 13W 10

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 557,724.08 4,109,788.21

ZONE 15

1,278FT

S.W.L. (BEFORE CASING): FT REMARKS: ABT 5 MI W OF MTN GROVE, THEN 0.25 MI N

S.W.L. (AFTER CASING): 32

LOG ID: 007149

WELL TYPE Private Well

DRILL DATE: 1941/09/04 TOWNSHIP RANGE SECTION ELEVATION:

DRILL DEPTH: 151FT 28N 13W 10

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 5FT 558,424.08 4,109,388.20

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 65

LOG ID: 017763

WELL TYPE Private Well

<u>DRILL DATE:</u> 1958/04/09 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,396FT

<u>DRILL DEPTH:</u> 125FT 28N 13W 11

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 559,709.07 4,109,885.20 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 22

LOG ID: 015589

WELL TYPE Private Well

<u>DRILL DATE:</u> 1956/08/13 <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 1,397FT

DRILL DEPTH: 209FT 28N 13W

<u>DEPTH TO BED:</u> 10FT 558,909.08 4,109,485.20

11

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 1ST HOUSE E OF WHETSTONE BRIDGE ON N SIDE OF HWY 60

S.W.L. (AFTER CASING): 95



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005485

WELL TYPE Private Well

1939/05/12 DRILL DATE:

106FT

TOWNSHIP RANGE 28N

SECTION 11

ELEVATION:

1,469FT

DRILL DEPTH:

DEPTH TO BED:

22FT

13W

UTM X 559,609.07

UTMY 4,109,385.20

ZONE 15

S.W.L. (BEFORE CASING):

33

FT

REMARKS: YIELD 0.5 GPM

S.W.L. (AFTER CASING):

LOG ID: 011476

WELL TYPE Private Well

DRILL DATE:

1950/08/09

TOWNSHIP

SECTION RANGE

ELEVATION: 1,421FT

DRILL DEPTH:

122FT

28N 13W

DEPTH TO BED:

20FT

49

11

UTM X

UTMY 4,109,485.20

559,909.07 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

ABT 3.5 MI W OF MTN GROVE ON HWY 60, N SIDE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025985

WELL TYPE Private Well

DRILL DATE:

1966/12/12

RANGE

SECTION

ABT 3 MI W OF MTN GROVE ON HWY 60, S SIDE

ELEVATION:

1,460FT

DRILL DEPTH:

120FT

13W 12

> UTM X 561,323.07

UTM Y 4,109,059.19

DEPTH TO BED:

30FT

29

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

028974

Noncommunity Public Well

DRILL DATE:

2003/10/

TOWNSHIP 28N

TOWNSHIP

28N

RANGE

SECTION

ELEVATION:

1,465FT

DRILL DEPTH:

DEPTH TO BED:

400FT

13W 12

UTM X

UTM Y 4,109,768.20

560,323.07

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011722

WELL TYPE Private Well

1951/04/14 DRILL DATE:

28N

SECTION

ELEVATION:

1,414FT

DRILL DEPTH: DEPTH TO BED: 200FT 45FT 12

UTM X 560,723.07

UTMY 4,109,465.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

ABT 3 MI W OF MTN GROVE ON HWY 60 **REMARKS**:

RANGE

13W

S.W.L. (AFTER CASING):

30

LOG ID: 010465

WELL TYPE Private Well

DRILL DATE:

1947/06/19

TOWNSHIP 28N

TOWNSHIP

SECTION RANGE

ELEVATION: 1,343FT

DRILL DEPTH:

121FT

13W 12

UTM X

UTMY

DEPTH TO BED:

55FT

561,123.07 ZONE 15

4,109,263.20

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

2.75 MI W & 0.25 MI S OF MTN GROVE OFF HWY 60 REMARKS:

S.W.L. (AFTER CASING):

44

LOG ID: 010390

WELL TYPE Private Well

DRILL DATE:

1948/07/09

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,462FT

DRILL DEPTH:

190FT

28N 13W 12

> UTM X 560,523.07

> > ZONE 15

UTM Y 4,109,465.20

DEPTH TO BED:

45FT

48

3 MI W OF MTN GROVE S SIDE HWY 60

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009145

WELL TYPE Private Well

DRILL DATE:

1945/11/21

TOWNSHIP 28N

RANGE SECTION **ELEVATION:**

1,492FT

DRILL DEPTH:

DEPTH TO BED:

103FT 65FT 13W 12

> UTM X UTM Y

560.823.07

4,109,566.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

2.5 MI W OF MTN GROVE ON HWY 60, N SIDE **REMARKS**:

27 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009471

WELL TYPE Private Well

1946/07/11 DRILL DATE:

TOWNSHIP RANGE SECTION 28N 13W 12

ELEVATION: 1,460FT

DRILL DEPTH: 100FT

UTM X

UTMY 4,109,465.20

560,923.07 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

22FT

16

2.5 MI W OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING):

FT

LOG ID: 011717

WELL TYPE Private Well

DRILL DATE:

1951/08/31

TOWNSHIP 28N

RANGE 13W

SECTION 13

ELEVATION: 1,443FT

FT

FT

DRILL DEPTH: 237FT

UTM X UTMY

561,709.08 ZONE 15

4,106,852.18

DEPTH TO BED: S.W.L. (BEFORE CASING):

30FT

47

REMARKS:

2 MI W OF MTN GROVE ON HWY 60, THEN 0.5 MI S

S.W.L. (AFTER CASING):

LOG ID: 009962

WELL TYPE Private Well

DRILL DATE:

1947/03/26

TOWNSHIP

RANGE 13W

SECTION

ELEVATION: 1,373FT

DRILL DEPTH:

150FT

28N

13

UTM X

560,709.08

UTM Y 4,107,054.18

DEPTH TO BED:

25FT

51

REMARKS:

ZONE 15 YIELD 3 5/6 G/"HOUR"??; 3 MI W & 1 MI S OF MTN GROVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009961

WELL TYPE Private Well

DRILL DATE:

1947/04/02

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,367FT

DRILL DEPTH:

DEPTH TO BED:

76FT 15FT

28N

13W 13

UTM X

560.809.08

UTM Y 4,108,159.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

4.5 MI SW OF MTN GROVE

3/1/2007

6,443



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005775

DRILL DEPTH:

WELL TYPE Private Well

1939/08/11 DRILL DATE:

66FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 21 **TOWNSHIP RANGE SECTION** 28N

13W 14

ELEVATION:

1,324FT

UTM X 559,201.08

UTMY 4,106,953.18

ZONE 15

LOG ID: 008337

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1943/07/29

TOWNSHIP

FT

FT

FT

RANGE 13W

RANGE

13W

SECTION 14

SECTION

15

1,313FT **ELEVATION:**

UTM X 558,701.08

ELEVATION:

UTM X

557,196.08

UTMY 4,107,665.19

1,499FT

UTM Y

4,107,391.19

ZONE 15

S.W.L. (BEFORE CASING):

37

104

181FT

10FT

REMARKS:

REMARKS:

28N

TOWNSHIP

28N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008411

WELL TYPE Private Well

DRILL DATE:

1943/10/04

DRILL DEPTH: 172FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022130

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1963/07/05

75FT

130FT

TOWNSHIP RANGE 28N

13W

SECTION 16

ELEVATION:

1,493FT

UTM X 555,709.09

UTM Y 4,106,900.19

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 4 MI SE OF NORWOOD

S.W.L. (AFTER CASING):

75



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023983

DEPTH TO BED:

WELL TYPE Private Well

1965/10/12 DRILL DATE:

755FT

DRILL DEPTH:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

35FT

450

TOWNSHIP RANGE SECTION 28N 17

13W

ELEVATION:

1,490FT

UTM X 555,089.09

UTMY 4,108,333.20

ZONE 15

FT

OLD WELL (#23983) DEEPENED (#26462) 440-755' (1969); 7 MI W **REMARKS**:

OF MT GVE

LOG ID: 026462

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1965/10/12

TOWNSHIP 28N

RANGE 13W

SECTION 17

ELEVATION: 1,476FT

UTM X

UTMY

555,089.09

4,108,333.20

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

OLD WELL DEEPENED - SEE LOG #23983 FOR COMPLETE

RECORD

LOG ID: 027671

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1971/02/

185FT

DEPTH TO BED: 15FT **TOWNSHIP RANGE SECTION** 28N 13W 19

ELEVATION: UTM X

1,516FT

UTM Y 552,265.10 4,105,332.18

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

1.5 MI S OF NORWOOD ON HWY CC; POOR SAMPLES

LOG ID:

027425

WELL TYPE Private Well

DRILL DATE:

1970/11/23

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,485FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

330FT

60FT

28N

13W 19

> UTM X UTM Y

> > ZONE 15

552.265.10

4,106,130.19

FT

3 MI SE OF NORWOOD ON HWY C **REMARKS**:

S.W.L. (AFTER CASING):

270



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009968

WELL TYPE Private Well

1946/10/04 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,492FT

28N 13W 19 **DRILL DEPTH:** 225FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 36FT

1 MI SE OF NORWOOD

552,665.09 4,106,330.19

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 143

LOG ID: **WELL TYPE** Private Well 016562

DRILL DATE: **TOWNSHIP SECTION** 1946/04/26 **RANGE ELEVATION:** 1,483FT

28N 13W 20 DRILL DEPTH:

UTM X **UTMY** DEPTH TO BED: 4,106,409.18 554,777.09

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: SEE LOG #9463; OLD WELL DEEPENED (1957)

S.W.L. (AFTER CASING):

LOG ID: 009463

WELL TYPE Private Well

DRILL DATE: 1946/04/26 **TOWNSHIP RANGE SECTION ELEVATION:** 1,503FT

28N 13W 20 **DRILL DEPTH:** 340FT

UTM X UTM Y 554,777.09 4,106,409.18

DEPTH TO BED: 31FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL (#9463) DEEPENED (#16562) 150-340' (1957); 2 MI SE OF

205 **NORWOOD** S.W.L. (AFTER CASING):

LOG ID: **WELL TYPE**

Private Well 012482

1953/10/05 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,515FT

28N 13W 22 **DRILL DEPTH:** 286FT UTM X UTM Y

DEPTH TO BED: 557.475.09 4,105,254.17 65FT

ZONE 15

S.W.L. (BEFORE CASING): FT 7 MI SW OF MTN GROVE ON OLD HWY 60 **REMARKS**:

S.W.L. (AFTER CASING): 210



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023996

DRILL DEPTH:

WELL TYPE Private Well

1965/04/09 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,400FT

> 28N 13W 23 210FT

UTM X UTMY DEPTH TO BED: 15FT 560,088.08 4,105,852.17

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: old well (see log #12657) deepened (see log #23996) 105-210 ft; 2.5 MI

S, 3 MI W OF M G

LOG ID: 012657

S.W.L. (AFTER CASING):

WELL TYPE Private Well

40

DRILL DATE: 1965/04/09 **TOWNSHIP SECTION RANGE ELEVATION:** 1,398FT

28N 13W 23 DRILL DEPTH: 210FT

UTM X UTMY DEPTH TO BED: 560,088.08 4,105,852.17

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** old well (see log #12657) deepened (see log #23996) 105-210 ft; 2.5 MI

S.W.L. (AFTER CASING): 27 S, 3 MI W OF M G

LOG ID: 017783

WELL TYPE Private Well

SECTION DRILL DATE: 1958/10/29 **TOWNSHIP RANGE ELEVATION:** 1,424FT

28N 13W 23 **DRILL DEPTH:** 94FT

UTM X UTM Y

DEPTH TO BED: 60FT 559,288.08 4,106,058.17

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

60FT

40 S.W.L. (AFTER CASING):

LOG ID: 005776

DRILL DEPTH:

WELL TYPE Private Well

1939/08/04 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,296FT

UTM X UTM Y

13W

27

DEPTH TO BED: 14FT 558,352.09 4,104,145.16

ZONE 15

FT

28N

S.W.L. (BEFORE CASING): **REMARKS**: YIELD O.5 GPM

S.W.L. (AFTER CASING): 30



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007826

DRILL DEPTH:

WELL TYPE Private Well

1942/04/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 28N 13W 27 100FT

UTM X **UTMY** DEPTH TO BED: 10FT 558,152.09 4,103,739.16

ZONE 15

1,449FT

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 78

LOG ID: 009466

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1946/05/21 **RANGE ELEVATION:** 1,441FT

28N 13W 27 DRILL DEPTH: 210FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 32FT 557,852.09 4,104,246.16

YIELD 0.5 GPM; 8 MI SW OF MTN GROVE

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 193

LOG ID: 007823

WELL TYPE Private Well

DRILL DATE: 1942/04/17 **TOWNSHIP RANGE SECTION ELEVATION:** 1,287FT

28N 13W 27 **DRILL DEPTH:** 60FT

UTM X UTM Y **DEPTH TO BED:** 10FT 557,452.09 4,104,044.16

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: YIELD 0.5 GPM

42 S.W.L. (AFTER CASING):

LOG ID: 025991

WELL TYPE Private Well

1968/03/21 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,500FT

28N **DRILL DEPTH:** 510FT

UTM X UTM Y DEPTH TO BED: 10FT 553.241.10 4,104,922.17

13W

30

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: 3 MI SE OF NORWOOD

S.W.L. (AFTER CASING): 340



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015590

WELL TYPE Private Well

1956/10/29 DRILL DATE:

TOWNSHIP 28N

FT

RANGE SECTION 13W 34

ELEVATION:

1,385FT

DRILL DEPTH:

120FT

UTM X

UTMY 4,102,227.14

557,635.10 ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

25FT

90

8 MI SW OF MTN GROVE ON HWY ZZ **REMARKS**:

LOG ID:

WELL TYPE Private Well

008336 DRILL DATE:

1943/06/02

TOWNSHIP

SECTION RANGE

ELEVATION: 1,278FT

DRILL DEPTH:

80FT

53

28N 13W 34

UTM X

UTMY

DEPTH TO BED: 10FT 557,135.09

4,103,349.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

012233

WELL TYPE

Private Well

DRILL DATE:

1952/10/31

TOWNSHIP 28N

RANGE SECTION **ELEVATION:** 1,325FT

DRILL DEPTH:

166FT

13W 34

> UTM X UTM Y

DEPTH TO BED:

10FT

98

557,635.10 4,102,431.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: YIELD 0.5 GPM; 8 MI SW OF MTN GROVE

LOG ID: 006982

WELL TYPE Private Well

DRILL DATE:

1941/05/09

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,321FT

DRILL DEPTH:

112FT

28N

13W

35

UTM X UTM Y

DEPTH TO BED:

25FT

95

558.751.09 4,103,326.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

3/1/2007

6,449



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018697

DRILL DEPTH:

WELL TYPE Private Well

1959/01/19 DRILL DATE:

DEPTH TO BED:

250FT

50

20FT

FT

TOWNSHIP RANGE SECTION 28N

13W 36 **ELEVATION:**

1,215FT

UTM X 560,259.09

UTMY 4,103,214.15

4,102,808.14

1,445FT

UTM Y

4,111,526.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

FT

7.5 MI SW OF MTN GROVE ON HEAD OF FOX CK **REMARKS**:

LOG ID: 012479

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1953/07/15

TOWNSHIP 28N

TOWNSHIP

28N

RANGE 13W

RANGE

13W

SECTION 36

SECTION

4

7 MI W OF MTN GROVE ON HWY 60, THEN 2 MI N

ELEVATION: 1,243FT

UTM X **UTMY**

561,459.09

ELEVATION:

UTM X

555,537.08

ZONE 15

DEPTH TO BED: 15FT S.W.L. (BEFORE CASING):

18

90FT

5 MI S OF MTN GROVE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 010531

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1948/09/24

100FT

25FT

61

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 022128

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1963/07/20

175FT

40FT

TOWNSHIP 28N

RANGE 13W

SECTION 6

ELEVATION:

553,264.08

1,437FT

UTM X

UTM Y 4,111,545.23

ZONE 15

ZONE 15

REMARKS:

REMARKS:

YIELD 1.5 GPM; 2 MI N OF NORWOOD

60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009144

WELL TYPE Private Well

1946/04/04 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 28N 14W 116FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 50FT

1

551,279.09 4,111,494.24

1,494FT

ZONE 15

S.W.L. (BEFORE CASING): FT

1 MI W AND 3 MI N OF NORWOOD **REMARKS**:

S.W.L. (AFTER CASING): 47

LOG ID: 024619

WELL TYPE Private Well

DRILL DATE: 1966/05/28 **TOWNSHIP SECTION RANGE ELEVATION:** 1,499FT

28N 14W 11 DRILL DEPTH: 100FT

UTM X **UTMY** DEPTH TO BED: 15FT 550,112.10 4,108,765.21

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 45

LOG ID: 028197

WELL TYPE

Community Public Well

DRILL DATE: 1978/07/01 **TOWNSHIP RANGE SECTION ELEVATION:** 1,510FT

28N 14W 13 **DRILL DEPTH:** 1.450FT

UTM X UTM Y **DEPTH TO BED:** 50FT 551,816.09 4,107,123.20

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** SCANNED, NO LITHOLOGIES RUN

S.W.L. (AFTER CASING):

LOG ID:

DRILL DEPTH:

WELL TYPE

1,221FT

012077 Community Public Well

1952/06/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,519FT

UTM X UTM Y DEPTH TO BED: 80FT 552.101.09 4,106,926.19

14W

13

ZONE 15

S.W.L. (BEFORE CASING):

28N

REMARKS: see log #12263 - STAINED WATER AT 210-240',260-270',340-365',365-400' S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002449

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

300FT

1931/06/27 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 28N 14W 13

UTM X **UTMY** DEPTH TO BED: 30FT

551,701.09 4,107,336.20

1,483FT

ZONE 15

200

S.W.L. (BEFORE CASING): FT

REMARKS: @ NORWOOD

S.W.L. (AFTER CASING):

LOG ID: 006033

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP SECTION** 1940/05/24 **RANGE ELEVATION:** 1,491FT

28N 14W 13 DRILL DEPTH: 180FT

UTM X UTMY DEPTH TO BED: 50FT 552,001.09 4,107,029.19

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 100 YDS SE OF RR STATION

S.W.L. (AFTER CASING): 147

LOG ID: 009465

WELL TYPE

Private Well

DRILL DATE: 1946/04/18 **TOWNSHIP RANGE SECTION ELEVATION:** 1,502FT

28N 14W 13

REMARKS:

DRILL DEPTH: 95FT UTM X UTM Y

DEPTH TO BED: 15FT 551,201.10 4,107,439.20

O.25 MI W OF NORWOOD SCHOOL

14W

13

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 52

LOG ID:

DRILL DEPTH:

WELL TYPE

1,221FT

Community Public Well 012263

1952/06/ **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,519FT

UTM X UTM Y DEPTH TO BED:

80FT 552.101.09 4,106,926.19

ZONE 15 S.W.L. (BEFORE CASING): FT

28N

see log #12077 - STAINED WATER AT **REMARKS:** 210-240',260-270',340-365',365-400' S.W.L. (AFTER CASING): 563



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012063

WELL TYPE Private Well

1952/01/08 DRILL DATE:

TOWNSHIP 28N

RANGE SECTION **ELEVATION:** 1,528FT

DRILL DEPTH:

276FT

13

UTM X **UTMY**

ZONE 15

551,901.09

4,106,926.19

DEPTH TO BED: 65FT S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

176

AT NORWOOD, ACROSS FROM METHODIST CHURCH

LOG ID:

WELL TYPE

Noncommunity Public Well

011575 DRILL DATE:

1951/07/

TOWNSHIP 28N

SECTION RANGE

ELEVATION: 1,483FT

DRILL DEPTH:

DEPTH TO BED:

600FT 30FT 14W 13

14W

UTM X UTMY

FT

551,501.09 4,107,336.20

ZONE 15

S.W.L. (BEFORE CASING):

225

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008734

WELL TYPE

Private Well

DRILL DATE:

1944/11/22

TOWNSHIP RANGE **SECTION**

ELEVATION:

1,528FT

DRILL DEPTH:

240FT

28N 14W 16

UTM X

UTM Y

DEPTH TO BED:

2FT

198

546,349.10 4,107,058.20

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 026627

WELL TYPE Private Well

1970/09/

TOWNSHIP

RANGE

14W

SECTION

ELEVATION:

1,488FT

DRILL DATE: DRILL DEPTH:

500FT

28N

17

UTM X 544.839.11

UTM Y 4,107,775.21

DEPTH TO BED:

35FT

5 MI E OF MANSFIELD ON HWY 60, 1 MI N; YIELD 1.5 GPM; POOR

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

SAMPLES



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023619

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,465FT

28N 14W 17 **DRILL DEPTH:** 305FT

UTM X **UTMY** DEPTH TO BED: 20FT 544,239.11 4,106,955.21

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT SAMPLES DOWN TO 125' QUESTIONED AS RELIABLE **REMARKS**:

S.W.L. (AFTER CASING): 240

LOG ID: **WELL TYPE** Private Well 007132

DRILL DATE: **TOWNSHIP SECTION** 1941/08/18 **RANGE ELEVATION:**

28N 14W 18 DRILL DEPTH: 67FT

UTM X **UTMY** DEPTH TO BED: 15FT 543,565.12 4,107,870.21

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 34

LOG ID: **WELL TYPE** Private Well 026724

DRILL DATE: 1968/03/14 **TOWNSHIP RANGE SECTION ELEVATION:** 1,398FT

28N 14W 23 **DRILL DEPTH:** 300FT

UTM X UTM Y **DEPTH TO BED:** 5FT 549,742.10 4,106,042.19

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** ABT 1 MI W OF NORWOOD, 0.5 MI S OF RR

S.W.L. (AFTER CASING): 150

LOG ID: **WELL TYPE** Private Well 027853

1971/01/29 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,408FT

28N 14W 24 **DRILL DEPTH:** 315FT UTM X

DEPTH TO BED: 551.061.10 4,105,310.18 35FT

ZONE 15

S.W.L. (BEFORE CASING): FT

1 MI S OF NORWOOD **REMARKS**: 250 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009479

WELL TYPE Private Well

1946/09/19 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,403FT

28N 14W 25 **DRILL DEPTH:** 274FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 18FT

2.5 MI S OF NORWOOD, RT SIDE OF RD

551,922.10 4,103,795.17

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 226

LOG ID: **WELL TYPE** 019309 Private Well

DRILL DATE: 1960/10/14 **TOWNSHIP SECTION RANGE ELEVATION:** 1,291FT

28N 14W 26 DRILL DEPTH: 288FT

UTM X UTMY

DEPTH TO BED: 15FT 549,994.10 4,104,934.18 ZONE 15

S.W.L. (BEFORE CASING): FT ABT 2 MI SW OF NORWOOD @ OLD CORNELIOUS SCHOOL, 150' N REMARKS:

S.W.L. (AFTER CASING): 177

LOG ID: **WELL TYPE** Private Well 007174

DRILL DATE: 1941/08/25 **TOWNSHIP RANGE SECTION ELEVATION:** 1,410FT

28N 14W 7 **DRILL DEPTH:** 150FT

UTM X UTM Y

DEPTH TO BED: 543,908.11 4,108,629.22 15FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: YIELD 2 G/HOUR

85FT

55

S.W.L. (AFTER CASING): 130

LOG ID: **WELL TYPE** Private Well 007112

S.W.L. (AFTER CASING):

1941/08/09 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,323FT

DRILL DEPTH: UTM X UTM Y

15W

DEPTH TO BED: 10FT 541.980.13 4,111,450.24

ZONE 15 FT

28N

S.W.L. (BEFORE CASING): **REMARKS:** E/2 LOT 2, NE/4 1-28-15W.



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023370

WELL TYPE

Noncommunity Public Well

1964/08/21 DRILL DATE:

DRILL DEPTH: 240FT

UTM X **UTMY** DEPTH TO BED: 10FT 538,109.17 4,108,961.21

TOWNSHIP

28N

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

RANGE

15W

S.W.L. (AFTER CASING):

LOG ID: 024276

WELL TYPE

DRILL DATE:

Private Well

195FT

TOWNSHIP 28N

RANGE 15W

SECTION 14

SECTION

10

ELEVATION: 1,431FT

ZONE 15

DRILL DEPTH:

UTM X 540,082.15

UTMY 4,107,480.20

1,320FT

DEPTH TO BED: 10FT

> 1 MI E OF BUS RT 5-60 JCT, ON HWY 60 REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 028173

WELL TYPE

Community Public Well

DRILL DATE:

1979/05/23

TOWNSHIP

RANGE SECTION 15W

ELEVATION:

1,463FT

DRILL DEPTH:

1,550FT

28N

15

UTM X

UTM Y

DEPTH TO BED:

20FT

538,023.17

ZONE 15

4,108,071.20

S.W.L. (BEFORE CASING):

398

FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

024483

Community Public Well

1,480FT

5FT

DRILL DATE:

1966/09/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,427FT

DRILL DEPTH:

DEPTH TO BED:

28N

15W 16

UTM X

537.704.17

UTM Y 4,107,702.19

ZONE 15

S.W.L. (BEFORE CASING):

195

REMARKS:

S.W.L. (AFTER CASING):

470



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017583

DRILL DEPTH:

WELL TYPE Private Well

375FT

1958// DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,509FT

> 28N 15W 17

UTM X **UTMY** DEPTH TO BED: 255FT 535,619.20 4,107,421.18

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** old well deepened 255 to 375; lost tools in bottom of hole; laundry

S.W.L. (AFTER CASING):

LOG ID: 021856

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION RANGE ELEVATION:** 1,505FT

28N 15W 17 DRILL DEPTH: 345FT

UTM X UTMY DEPTH TO BED: 10FT 535,819.19 4,107,421.18

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: @ SE COR JCT CITY RT 60 & HWY S

S.W.L. (AFTER CASING): 125

LOG ID:

WELL TYPE

007857 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:

28N 15W 17 **DRILL DEPTH:** 45FT

UTM X UTM Y **DEPTH TO BED:** 12FT 535,319.20 4,107,935.19

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:** 1.5 MI NW OF MANSFIELD - ZINC TEST HOLE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

007858 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:

28N 15W 17 **DRILL DEPTH:** 51FT

UTM X DEPTH TO BED: 33FT 535,319.20 4,107,935.19

UTM Y

ZONE 15

S.W.L. (BEFORE CASING): 1.5 MI NW OF MANSFIELD **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004381

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u>

28N 15W

DRILL DEPTH: 107FT UTM X UTM Y

<u>DEPTH TO BED:</u> 15FT 533,225.22 4,107,472.18

18

ZONE 15

1,479FT

S.W.L. (BEFORE CASING): FT REMARKS: S SIDE OF HWY 60

S.W.L. (AFTER CASING): 40

LOG ID: 004613

WELL TYPE Private Well

DRILL DATE: 1938/01/ TOWNSHIP RANGE SECTION ELEVATION:

DRILL DEPTH: 80FT 28N 15W 20

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 5FT 535,801.20 4,107,027.18

S.W.L. (BEFORE CASING): FT DEMARKS

REMARKS:

S.W.L. (AFTER CASING): 4

LOG ID:

WELL TYPE

007197 Community Public Well

DRILL DATE: 1941/10/ <u>TOWNSHIP</u> <u>RANGE</u> <u>SECTION</u> <u>ELEVATION:</u> 1,311FT

<u>DRILL DEPTH:</u> 1,100FT 28N 15W 20

UTM X UTM Y

<u>DEPTH TO BED:</u> 25FT 535,401.20 4,105,585.17 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 100' NW OF WELL #2

S.W.L. (AFTER CASING): 200

LOG ID: 010683

WELL TYPE Private Well

DRILL DATE: 1947/03/05 TOWNSHIP RANGE SECTION ELEVATION: 1,544FT

DRILL DEPTH: 165FT UTM X UTM Y

15W

20

<u>DEPTH TO BED:</u> 95FT 535,801.20 4,107,027.18
ZONE 15

S.W.L. (BEFORE CASING): FT PEMARKO: MELP 4.5 OPM

28N

S.W.L. (AFTER CASING): 105

REMARKS: YIELD 1.5 GPM



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 002130

WELL TYPE

Community Public Well

1929/01/01 DRILL DATE:

DRILL DEPTH: 1,080FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 437 **TOWNSHIP RANGE SECTION** 28N 15W

21

ELEVATION:

1,511FT

UTM X 537,600.18

UTMY 4,106,372.18

ZONE 15

4 BLOCKS E OF CITY SQUARE; "HOLE WENT DRY" **REMARKS**:

LOG ID: 004382

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

77FT

45FT

24

TOWNSHIP 28N

SECTION RANGE

ELEVATION: 1,471FT

15W 21

UTM X

UTMY

537,600.18

4,105,548.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

0.75 MI S OF MANSFIELD REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

007702

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1942/02/12

100FT

5FT

60

TOWNSHIP 28N

RANGE 15W

SECTION 23

ELEVATION:

UTM X

UTM Y

540,143.15 4,106,164.19

ZONE 15

FT **REMARKS**: 2 MI E OF MANSFIELD

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID:

WELL TYPE

027095

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1972/02/19

510FT

10FT

290

TOWNSHIP 28N

RANGE 15W

SECTION 29

ELEVATION:

534.962.21

1,430FT

UTM X

UTM Y 4,104,368.15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

3 MI S OF MANSFIELD ON HWY 5



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010452

WELL TYPE

Community Public Well

1928/10/ DRILL DATE:

DRILL DEPTH: 1,200FT

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE SECTION 28N 15W 29

ELEVATION:

1,254FT

UTMY

UTM X

535,862.20 4,105,275.16

ZONE 15

1 mile S of Mansfield, deepened from 615 to 1200 ft (see log #2231)

LOG ID:

WELL TYPE

Community Public Well 002231

DRILL DATE:

1928/10/

TOWNSHIP

SECTION RANGE

ELEVATION:

1,283FT

DRILL DEPTH:

1,200FT

28N 15W

> **UTM X** 535,862.20

UTMY 4,105,074.16

4,102,990.14

DEPTH TO BED:

FT

REMARKS:

REMARKS:

REMARKS:

1 mile S of Mansfield, deepened from 615 to 1200 ft (see log #10452)

29

S.W.L. (AFTER CASING): 125

S.W.L. (BEFORE CASING):

LOG ID: 010688

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1947/05/29

SECTION TOWNSHIP RANGE 28N 15W 31

ELEVATION: 1,364FT

534,122.22

ZONE 15

DRILL DEPTH: 135FT

YIELD 1 QT/MIN

UTM X UTM Y

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 106

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Private Well 027423

1970/10/22 **DRILL DATE:**

275FT

36FT

TOWNSHIP RANGE SECTION 15W

6

ELEVATION: 1,421FT

UTM X UTM Y

534,316.20 4,111,901.22

ZONE 15

5FT S.W.L. (BEFORE CASING):

FT

3 MI N OF HWY 60 ON HWY EE **REMARKS:**

28N

S.W.L. (AFTER CASING): 125



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023343

WELL TYPE Private Well

1965/01/29 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,601FT

> 28N 15W 8 300FT

> > **REMARKS:**

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 60FT 4,110,299.21

ON HWY EE 3 MI N OF MANSFIELD

534,862.20

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 100

LOG ID: 027507

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,604FT

28N 15W 8 DRILL DEPTH: 295FT

UTM X UTMY DEPTH TO BED: 35FT 534,662.20 4,110,299.21

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 195

LOG ID:

WELL TYPE

Exploratory Hole (Mineral Prospect) 004383

DRILL DATE: 1937// **TOWNSHIP RANGE SECTION ELEVATION:** 1,342FT

28N 16W **DRILL DEPTH:** 397FT

UTM X UTM Y **DEPTH TO BED:** 532,918.21 4,110,517.20 15FT

5.5 MI NW OF MANSFIELD, PROSPECT HOLE

ZONE 15

REMARKS:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 027801

WELL TYPE Private Well

1971/03/00 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,508FT

28N 16W 11 **DRILL DEPTH:** 300FT

UTM X UTM Y DEPTH TO BED: 20FT 530.265.24 4,110,164.19

ZONE 15

S.W.L. (BEFORE CASING): FT 3 MI N OF HWY 60; SCANNED NO FORMATIONS OR **REMARKS:**

LITHOLOGIESL PICKED S.W.L. (AFTER CASING): 125



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005424

WELL TYPE

Noncommunity Public Well

1939// DRILL DATE:

28N 16W 22 **DRILL DEPTH:** 327FT

UTM X **UTMY** DEPTH TO BED: 45FT 4,106,817.16

TOWNSHIP

529,071.26

ELEVATION:

ZONE 15

1,681FT

S.W.L. (BEFORE CASING): FT

ELEV. 6' ABOVE RR LEVEL AT STATION **REMARKS**:

RANGE

SECTION

S.W.L. (AFTER CASING): 246

LOG ID: 018395

WELL TYPE

Private Well

TOWNSHIP SECTION DRILL DATE: **RANGE ELEVATION:** 1,606FT

28N 16W 24 DRILL DEPTH: 200FT

UTM X UTMY DEPTH TO BED: 532,797.23 55FT 4,105,652.16

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** YIELD 2.5 GPM; 3 MI W OF MANSFIELD, 1.25 MI S OF JCT OF

S.W.L. (AFTER CASING): 140 HWYS 60 & F

LOG ID: 005263

WELL TYPE

Private Well

DRILL DATE: 1939// **TOWNSHIP RANGE SECTION ELEVATION:** 1,414FT

28N 16W 3 **DRILL DEPTH:** 63FT

UTM X UTM Y **DEPTH TO BED:** 17FT 528,394.26 4,111,073.19

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: YIELD "EXTRA STRONG":

30 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 007856

1942// **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,405FT

28N

DRILL DEPTH: 85FT UTM X UTM Y

16W

3

DEPTH TO BED: 10FT 528.494.25 4,111,576.20

ZONE 15

S.W.L. (BEFORE CASING): MAY BE COTTER DOLOMITE 10-40' **REMARKS:**

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010460

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

67FT

29FT

40FT

68

85

40FT

1947/05/26 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 12W 18

ELEVATION: 1,490FT

UTM X **UTMY** 563,212.04 4,117,635.26

ZONE 15

S.W.L. (BEFORE CASING): FT

5 MI N OF MTN GROVE ON HWY A, W SIDE; YIELD - 0.5 GPM **REMARKS**:

S.W.L. (AFTER CASING): 40

LOG ID: 012865

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1954/02/01

TOWNSHIP SECTION RANGE

ELEVATION: 1,453FT

DRILL DEPTH: 225FT 29N 12W 19

> **UTM X UTMY**

562,791.05 4,115,635.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS:**

0.25 MI 2, 0.25 MI W OF RICHARD GRAVEYARD, 4 MI N OF MTN

GROVE ON HY A

LOG ID: 025371

WELL TYPE Private Well

DRILL DATE: 1967/07/15

TOWNSHIP RANGE SECTION 29N

ELEVATION: 1,480FT

DRILL DEPTH: 300FT 12W 20

UTM X UTM Y

DEPTH TO BED: 30FT 564,378.04 4,116,015.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: ABT 3 MI N OF MTN GROVE

S.W.L. (AFTER CASING):

LOG ID: 026726

DEPTH TO BED:

WELL TYPE Private Well

1969/03/26 **DRILL DATE:**

RANGE SECTION TOWNSHIP

12W 20 **ELEVATION:** 1,487FT

DRILL DEPTH: 550FT 29N

UTM X UTM Y

564.778.04 4,114,789.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING): 170



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022424

DEPTH TO BED:

WELL TYPE Private Well

35FT

1963/07/27 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 12W 20

ELEVATION: 1,488FT

DRILL DEPTH: 400FT UTM X

REMARKS:

UTMY 564,578.04 4,115,811.24

ZONE 15

S.W.L. (BEFORE CASING): FT ABT 4 MI N OF MTN GROVE ON HWY A, LEFT S

S.W.L. (AFTER CASING): 190

LOG ID: 010459

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1947/06/05 **RANGE ELEVATION:** 1,481FT

29N 12W 20 DRILL DEPTH: 98FT

UTM X **UTMY** DEPTH TO BED: 30FT 564,378.04 4,116,015.24

4 MI N OF MTN GROVE

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: S.W.L. (AFTER CASING): 34

LOG ID: 010807

WELL TYPE Private Well

DRILL DATE: 1949/04/27 **TOWNSHIP RANGE SECTION ELEVATION:** 1,485FT

29N 12W 20 **DRILL DEPTH:** 156FT

REMARKS:

UTM X UTM Y

DEPTH TO BED: 17FT 563,778.04 4,116,219.24

ZONE 15 FT

ABT 5 MI N OF MTN GROVE ON HWY; YIELD 1/3 GPM

21

75 S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 024893

WELL TYPE Private Well

1966/08/04 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,438FT

DRILL DEPTH: 230FT UTM X UTM Y

12W

DEPTH TO BED: 565.191.04 4,115,586.23 15FT

ZONE 15

29N

S.W.L. (BEFORE CASING): YIELD - 3.5 GPM **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004087

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1936/12/17

TOWNSHIP 29N <u>RANGE</u>

<u>SECTION</u>

ELEVATION:

1,480FT

DRILL DEPTH:

12W

21

<u>UTM X</u> 565,191.04 <u>UTM Y</u> 4,114,974.23

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

old well (see log #4087) deepened 480-550 ft (see log #17376); 3 miles

N of Mtn Grove

LOG ID: 017376

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1936/12/17

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,4

1,485FT

DRILL DEPTH:

550FT

29N

12W

21

ZONE 15

ZONE 15

ZONE 15

DEPTH TO BED:

OCET

.. ._..

<u>UTM X</u> 565,191.04

<u>UTM Y</u> 4,114,974.23

DEL TITTO DED.

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

295FT

184

FT

FT

REMARKS:

old well (see log #4087) deepened 480-550 ft (see log #17376); 3 miles

N of Mtn Grove

LOG ID: 010457

WELL TYPE

Private Well

DRILL DATE:

1947/10/09

TOWNSHIP

RANGE

SECTION 21 ELEVATION:

1,419FT

DRILL DEPTH:

80FT

29N 12W

<u>UTM X</u> 565,191.04 <u>UTM Y</u> 4,116,198.24

DEPTH TO BED:

20FT

24

REMARKS:

JEFFERSON CITY ON LOG; 4.5 MI N OF MTN GROVE

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 008546

WELL TYPE

Private Well

DRILL DATE:

1944/03/07

TOWNSHIP 29N **RANGE**

SECTION

ELEVATION:

1,491FT

DRILL DEPTH:

DEPTH TO BED:

107FT

12W 28

UTM X UTM Y

565,277.05

4,113,240.22

ZONE 15

S.W.L. (BEFORE CASING):

<u>ising).</u>

REMARKS:

FT

S.W.L. (AFTER CASING): 41



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010535

WELL TYPE Private Well

DRILL DATE: 1948/10/08 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,461FT

DRILL DEPTH: 230FT 29N 12W 28

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 10FT 565,377.04 4,114,579.23

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: formerly in name of George Stapp - 3.75 miles N of Mtn Grove; yield -

6.5 GPM

LOG ID: 016559

S.W.L. (AFTER CASING):

WELL TYPE Private Well

DRILL DATE: 1957/07/17 TOWNSHIP RANGE SECTION ELEVATION: 1,500FT

DRILL DEPTH: 198FT 29N 12W 29

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 564,157.05 4,113,167.22

.W.L. (BEFORE CASING): FT

S.W.L. (BEFORE CASING): FT REMARKS:

59

S.W.L. (AFTER CASING): 18

LOG ID: 022994

WELL TYPE Private Well

DRILL DATE: 1964/02/17 TOWNSHIP RANGE SECTION ELEVATION: 1,471FT

DRILL DEPTH: 202FT 29N 12W 29

<u>DEPTH TO BED:</u> 45FT <u>UTM X</u> <u>UTM Y</u> 564,557.05 4,113,167.22

2 MI N OF MTN GROVE

12W

29

S.W.L. (BEFORE CASING): FT PENABLO AND A FATH ORDER

REMARKS:

S.W.L. (AFTER CASING): 30

LOG ID: 022877

WELL TYPE Private Well

DRILL DATE: 1964/05/12 TOWNSHIP RANGE SECTION ELEVATION: 1,501FT

DRILL DEPTH: 194FT 25N 12VV 25 UTM X UTM Y

<u>DEPTH TO BED:</u> 60FT 564,157.05 4,113,167.22 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 2.25 MI N OFMTN GROVE ON HWY A, 1.25 MI W

29N

S.W.L. (AFTER CASING): 98



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006987

WELL TYPE Private Well

1941/04/29 DRILL DATE:

TOWNSHIP RANGE 29N 12W

ELEVATION:

1,508FT

DRILL DEPTH:

110FT

UTM X

UTMY

DEPTH TO BED:

58FT

35

SECTION

29

564,857.05 4,113,679.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: formerly in name of John Hull

LOG ID:

WELL TYPE Private Well

008912 DRILL DATE:

1945/06/22

TOWNSHIP

SECTION RANGE

ELEVATION: 1,461FT

DRILL DEPTH:

225FT

29N 12W 29

UTM X UTMY

4,114,499.23

DEPTH TO BED: 20FT

563,657.05 ZONE 15

FT

65

REMARKS:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 008545

WELL TYPE Private Well

DRILL DATE:

1944/02/05

TOWNSHIP RANGE **ELEVATION:**

1,488FT

DRILL DEPTH:

101FT

29N 12W 29

> UTM X UTM Y

DEPTH TO BED:

45FT

564,357.05 4,113,987.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

33

FT

REMARKS:

2.75 MI N & 0.75 MI W OF MTN GROVE

LOG ID:

008993

WELL TYPE Private Well

DRILL DATE:

1945/11/23

RANGE TOWNSHIP

SECTION

SECTION

ELEVATION: 1,477FT

DRILL DEPTH:

DEPTH TO BED:

40FT

29N 12W 29

UTM X UTM Y

25FT

564,857.05

4,114,089.22

ZONE 15

S.W.L. (BEFORE CASING):

FT

3 MI N OF MTN GROVE ON HWY **REMARKS**:

S.W.L. (AFTER CASING):

15



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013707

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1954/12/03 DRILL DATE:

70

225FT

60FT

TOWNSHIP RANGE SECTION 29N

12W 30 **ELEVATION:**

1,482FT

UTM X 563,370.05

UTMY 4,114,013.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: YIELD - 2.5 GPM

29N

LOG ID: 012237

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1952/10/09

TOWNSHIP

RANGE

SECTION

SECTION

31

ELEVATION: 1,467FT

250FT

116FT

12W 30

RANGE

12W

UTM X

UTMY

563,370.05

4,114,605.23

1,321FT

UTMY

4,111,815.21

ZONE 15

ELEVATION:

UTM X

562,142.06

S.W.L. (BEFORE CASING):

FT

REMARKS:

OLD WELL DEEPENED 116-250'; 2 MI N OF MTN GROVE, 1.5 MI NW

S.W.L. (AFTER CASING):

86

LOG ID: 012481

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1953/08/06

63FT

17

12FT

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI NW OF MTN GROVE

TOWNSHIP

29N

S.W.L. (AFTER CASING):

LOG ID: 009157

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1946/02/07

125FT 15FT

30

TOWNSHIP 29N

RANGE 12W

SECTION 31

ELEVATION:

1,346FT

UTM X 562.942.06

UTM Y 4,111,621.21

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

1.25 MI N, 1.25 MI W OF MTN GROVE; YIELD - 0.5 GPM

3/1/2007

6,468



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012480

WELL TYPE Private Well

1953/08/17 DRILL DATE:

TOWNSHIP 29N

SECTION 31

ELEVATION: 1,371FT

DRILL DEPTH: 90FT

UTM X

UTMY 4,111,621.21

DEPTH TO BED: 35FT

FT

RANGE

12W

563,342.06

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

30' - DUG HOLE; 1.25 MI N, 1.25 MI W OF MTN GROVE; YIELD - 1.5 **REMARKS**:

GPM

LOG ID: 012867

WELL TYPE Private Well

DRILL DATE:

1954/03/26

TOWNSHIP 29N

SECTION RANGE

ELEVATION: 1,420FT

DRILL DEPTH:

DEPTH TO BED:

231FT

12W 32

UTM X

231

30

15FT

UTMY

564,539.06 ZONE 15

4,111,549.21

S.W.L. (BEFORE CASING):

FT

0.5 MI N, 0.5 MI W ON N SIDE OF RD FROM MTN GROVE REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 020320

WELL TYPE

Private Well

DRILL DATE:

1961/04/26

TOWNSHIP RANGE 29N

ELEVATION: 1,465FT

DRILL DEPTH:

202FT

12W 32

UTMY

DEPTH TO BED:

20FT

15

SECTION

UTM X 564,339.05 4,112,979.22

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

018734

1959/10/15

TOWNSHIP

RANGE SECTION

12W

ELEVATION: 1,460FT

DRILL DEPTH:

DEPTH TO BED:

250FT

5FT

29N

32

UTM X 564.939.05

UTM Y 4,112,979.22

ZONE 15

FT

0.25 MI N & 0.25 MI W OF MO FRUIT EXPERIMENTAL STATION **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

36



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019311

DRILL DEPTH:

WELL TYPE Private Well

302FT

20FT

1960/09/13 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 12W 32

ELEVATION:

UTM X **UTMY** DEPTH TO BED: 20FT

564,739.05 4,112,979.22

1,490FT

ZONE 15

S.W.L. (BEFORE CASING): FT

2 MI N OF MTN GROVE ON HWY A, THEN 0.25 MI W **REMARKS**:

S.W.L. (AFTER CASING): 75

LOG ID: 021812

WELL TYPE Private Well

DRILL DATE: 1963/04/20

TOWNSHIP SECTION RANGE 29N 12W 32

ELEVATION: 1,370FT

DRILL DEPTH: 304FT

UTM X UTMY

563,539.06 4,111,549.21

ZONE 15 FT

S.W.L. (AFTER CASING): 75

S.W.L. (BEFORE CASING):

0.5 MI W OF MTN GROVE SEWAGE DISPOSAL PLANT REMARKS:

LOG ID: 023980

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1965/03/08

TOWNSHIP RANGE SECTION 29N 12W 33

ELEVATION: 1,473FT

DRILL DEPTH: 562FT

UTM X UTMY

DEPTH TO BED: 15FT

S.W.L. (AFTER CASING):

566,362.05 4,112,344.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 0.5 MI E OF MO FRUIT EXPERIMENTAL STATION ON NE CORNER

OF CROSS RD

LOG ID:

WELL TYPE

014286

Noncommunity Public Well

200

DRILL DATE:

1956/02/

RANGE TOWNSHIP SECTION 29N

ELEVATION: 1,455FT

DRILL DEPTH:

DEPTH TO BED:

1,486FT

20FT

12W 33

> UTM X UTM Y

565.162.05

4,112,138.21 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

38 179 FT

FT

REMARKS:

1 MI N OF MTN GROVE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 004685

WELL TYPE

Noncommunity Public Well

1938/03/23 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,479FT

29N 12W 33 **DRILL DEPTH:** 675FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 20FT

1.75 MI ON HWY A N OF JCT WITH HWY 60

1.25 MI N OF MTN GROVE, 1ST HOUSE E ON N SIDE

6

565,762.05 4,112,548.21

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 135

LOG ID: **WELL TYPE** 007088 Private Well

DRILL DATE: 1941/07/24 **TOWNSHIP SECTION RANGE ELEVATION:** 1,487FT

29N 12W 33 DRILL DEPTH: 106FT

UTM X UTMY DEPTH TO BED: 10FT 566,362.05 4,112,754.21

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 61

LOG ID: **WELL TYPE** Private Well 008909

DRILL DATE: 1945/08/14 **TOWNSHIP RANGE SECTION ELEVATION:** 1,434FT

29N 12W 33 **DRILL DEPTH:** 211FT

UTM X UTM Y **DEPTH TO BED:** 45FT 565,562.05 4,111,524.20

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 55

LOG ID: **WELL TYPE** Private Well 010984

1949/08/12 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,422FT

DRILL DEPTH: 251FT UTM X UTM Y

12W

DEPTH TO BED: 8FT 562.469.03 4,121,738.29

ZONE 15

29N

S.W.L. (BEFORE CASING): FT 1 MI SE OF DAWSON; YIELD - 1.5 GPM **REMARKS**:

REMARKS:

S.W.L. (AFTER CASING): 85



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023184

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1964/08/09 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,507FT

> 29N 12W 7 250FT

UTM X UTMY

563,037.04 4,118,087.26

ZONE 15

S.W.L. (BEFORE CASING): FT

20FT

70FT

80

ABT 6 MI N OF MTN GROVE ON HWY A, W SIDE; YIELD 16+ GPM @ **REMARKS**:

7

250'

LOG ID: 018736

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1959/10/20 **TOWNSHIP SECTION RANGE ELEVATION:** 1,525FT

29N 12W DRILL DEPTH: 163FT

UTM X **UTMY**

562,837.04 4,119,047.27

ZONE 15

S.W.L. (BEFORE CASING):

FT

ABT 7 MI N OF MTN GROVE ON HWY D REMARKS:

S.W.L. (AFTER CASING): 64

LOG ID: 020282

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE: 1961/06/17 **TOWNSHIP RANGE SECTION ELEVATION:** 1,513FT

29N 12W 7 250FT

UTM X **UTMY**

DEPTH TO BED: 562,837.04 4,118,855.27 25FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 60

LOG ID: 010034

DEPTH TO BED:

WELL TYPE Private Well

1948/04/05 **DRILL DATE:**

RANGE SECTION TOWNSHIP ELEVATION: 1,502FT 12W

7

DRILL DEPTH: 150FT

30FT

UTM X UTM Y

562.637.04 4,118,855.27

ZONE 15

S.W.L. (BEFORE CASING): FT 7 MI N OF MTN GROVE ON HWY 4, W SIDE; YIELD - 2.5 GPM **REMARKS**:

29N

27 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020319

WELL TYPE Private Well

1960/12/05 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,393FT

> 29N 12W 8 209FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 30FT

565,008.03 4,118,038.25

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - 7.5 GPM

S.W.L. (AFTER CASING): 50

LOG ID: 007133

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1941/09/12 **RANGE ELEVATION:** 1,299FT

29N 12W 8 DRILL DEPTH: 202FT

UTM X UTMY DEPTH TO BED: 94FT 564,908.03 4,119,345.26

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** OLD WELL DEEPENED 94-201.5'; ABT 6 MI N OF MTN GROVE;

S.W.L. (AFTER CASING): 45 YIELD 18 G/HOUR

LOG ID: 007706

WELL TYPE Private Well

DRILL DATE: 1942/04/04 **TOWNSHIP RANGE SECTION ELEVATION:** 1,466FT

29N 12W 8

DRILL DEPTH: 80FT UTM X UTM Y

DEPTH TO BED: 56FT 564,008.03 4,119,044.26

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

50 S.W.L. (AFTER CASING):

LOG ID: 022415

WELL TYPE Private Well

1963/05/15 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,398FT

29N 12W 9 **DRILL DEPTH:** 205FT

UTM X UTM Y DEPTH TO BED: 10FT 565.413.03 4,118,202.25

ZONE 15

S.W.L. (BEFORE CASING): FT 2.25 MI N OF GIRLS TOWN N OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING): 64



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015659

DRILL DEPTH:

WELL TYPE Private Well

1956/11/17 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 13W 10

ELEVATION:

UTM X **UTMY** DEPTH TO BED: 90FT

558,424.05 4,118,192.27

1,425FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

236FT

S.W.L. (AFTER CASING): 140

LOG ID: 010453

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1947/10/20 **RANGE ELEVATION:** 1,417FT

29N 13W 14 DRILL DEPTH: 125FT

UTM X UTMY DEPTH TO BED: 26FT 4,117,600.26 559,806.05

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 5/6 GPM; 9 MI N THEN 2 MI W OF MTN GROVE REMARKS:

S.W.L. (AFTER CASING): 84

LOG ID: 010385

WELL TYPE Private Well

DRILL DATE: 1948/07/21 **TOWNSHIP RANGE SECTION ELEVATION:** 1,375FT

29N 13W 14 **DRILL DEPTH:** 120FT

UTM X **UTMY**

DEPTH TO BED: 5FT 559,706.05 4,116,691.26

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: YIELD - "28/60 GPM"

S.W.L. (AFTER CASING): 55

LOG ID:

WELL TYPE

025828 Exploratory Hole (Mineral Prospect)

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 1,190FT 29N 13W 16

DRILL DEPTH: 1,766FT UTM X UTM Y

DEPTH TO BED: 556.882.06 4,116,674.27 15FT

ZONE 15

S.W.L. (BEFORE CASING):

#WR-1 **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007136

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1941/07/30 DRILL DATE:

185FT

94FT

FT

TOWNSHIP RANGE 29N 16

13W

SECTION

ELEVATION:

1,373FT

UTM X 555,682.07

UTMY 4,116,674.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

161

REMARKS: **OLD WELL DEEPENED 94-185'**

LOG ID:

007134

WELL TYPE Private Well

DRILL DATE:

1941/08/06

TOWNSHIP

RANGE

SECTION 16

ELEVATION:

1,233FT

DRILL DEPTH: DEPTH TO BED: 75FT

29N 13W

> **UTM X** 555,682.06

UTMY 4,117,681.28

FT

20FT

30

REMARKS:

YIELD - 0.5 GPM

ZONE 15

LOG ID:

025413

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1967/11/20

300FT

125FT

REMARKS:

SECTION RANGE 13W 17

ELEVATION:

1,400FT

UTM X **UTMY** 555,380.07 4,116,558.27

ZONE 15

OLD WELL DEEPENED 125-300'; 8 MI NW OF MTN GROVE, ON N

SIDE

29N

TOWNSHIP

29N

LOG ID: 023450

WELL TYPE

Private Well

DRILL DATE:

DEPTH TO BED:

DRILL DEPTH:

1965/04/04

240FT

10FT

RANGE TOWNSHIP

13W

SECTION

18

ELEVATION:

1,382FT

UTM X 553.061.07

UTM Y 4,117,909.29

ZONE 15

FT

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

135

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012864

WELL TYPE Private Well

1954/04/02 DRILL DATE:

TOWNSHIP RANGE 29N

SECTION 19

ELEVATION:

1,428FT

DRILL DEPTH:

82FT

13W

UTM X

UTMY 4,116,311.27

DEPTH TO BED:

40FT

553,832.07

ZONE 15

S.W.L. (BEFORE CASING):

FT

6 MI N OF NORWOOD **REMARKS**:

S.W.L. (AFTER CASING):

54

LOG ID: 008911

WELL TYPE Private Well

DRILL DATE:

1945/05/29

TOWNSHIP

SECTION RANGE

ELEVATION: 1,418FT

DRILL DEPTH:

100FT

33

29N 13W

UTM X

UTMY

DEPTH TO BED: 20FT 560,304.04

4,120,900.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 012866

WELL TYPE Private Well

DRILL DATE:

1954/02/17

TOWNSHIP

RANGE

SECTION

2

ELEVATION: 1,358FT

DRILL DEPTH:

209FT

29N

13W 22

UTM X UTM Y

DEPTH TO BED:

95FT

160

4,115,777.26

ZONE 15

557,978.06

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

OLD WELL DEEPENED 95-208.5'; 8 MI NW OF MTN GROVE ON

HWY N, 0.25 MI N

LOG ID:

WELL TYPE

005025

Private Well

1938/09/03

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,142FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

42FT 10FT

13

29N

13W 22

UTM X

UTM Y

557.178.06 4,115,777.26 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

3/1/2007

6,476



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005487

WELL TYPE Private Well

1939/07/07 DRILL DATE:

TOWNSHIP RANGE 29N

SECTION

ELEVATION:

1,258FT

DRILL DEPTH:

63FT

13W 22

UTM X

UTMY 4,115,056.25

DEPTH TO BED:

24FT

557,678.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

30

LOG ID: 008067

WELL TYPE Private Well

DRILL DATE:

1942/10/14

TOWNSHIP

SECTION RANGE

ELEVATION:

DRILL DEPTH:

93FT

29N

13W 22

UTM X

DEPTH TO BED: 68FT 557,278.06

UTMY 4,115,880.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 008141

WELL TYPE

Exploratory Hole (Mineral Prospect)

37

DRILL DATE:

1942/12/24

TOWNSHIP

SECTION RANGE

ELEVATION:

1,396FT

29N

22

DRILL DEPTH:

96FT

13W

UTM X **UTMY**

DEPTH TO BED:

50FT

74

557,778.06

4,116,189.26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

PROSPECT HOLE: 100 YDS NW OF MTN VALLEY CHURCH, 9 MI

NW OF MTN GROVE

LOG ID:

WELL TYPE

010455

Private Well

DRILL DATE:

1947/10/13

TOWNSHIP 29N

RANGE

SECTION

ELEVATION:

1,460FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

100FT 30FT 13W 24

UTM X

561.299.05 4,115,013.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

6 MI NW OF MTN GROVE **REMARKS**:

S.W.L. (AFTER CASING):

52



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014131

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1955/08/10 DRILL DATE:

160FT

91FT

TOWNSHIP RANGE SECTION 29N

13W 25

ELEVATION: 1,323FT

UTM X

561,378.06 4,114,319.23

ZONE 15

S.W.L. (BEFORE CASING):

22

FT

FT

FT

REMARKS: **OLD WELL DEEPENED 91-160'**

S.W.L. (AFTER CASING):

LOG ID: 013159

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1954/11/11

225FT

TOWNSHIP

RANGE

RANGE

13W

SECTION 25

ELEVATION: 1,355FT

29N 13W

UTM X

UTMY 4,114,319.23

UTM Y

4,114,319.24

UTM Y

561,778.05 ZONE 15

ELEVATION:

UTM X

560,578.06

DEPTH TO BED: S.W.L. (BEFORE CASING): 5FT

80

REMARKS:

REMARKS:

5 MI NW OF MTN GROVE ON OLD DAKE FARM

S.W.L. (AFTER CASING):

LOG ID: 006036

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE:

1940/05/14

151FT

DEPTH TO BED:

50FT

90

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 008915

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1945/08/02

120FT

15FT

39

TOWNSHIP 29N

TOWNSHIP

29N

RANGE 13W

SECTION 25

SECTION

25

ELEVATION:

1,317FT

UTM Y

UTM X 560.978.06 4,113,909.23

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

YIELD - 95 G/HOUR; 5 MI NW OF MTN GROVE

3/1/2007

6,478



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023405

WELL TYPE Private Well

1965/01/14 DRILL DATE:

TOWNSHIP RANGE 29N 13W

ELEVATION:

1,312FT

UTM Y

DRILL DEPTH:

186FT

26

SECTION

UTM X

DEPTH TO BED:

10FT

73

559,959.06

4,114,347.24

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 017774

WELL TYPE Private Well

DRILL DATE:

1958/05/07

TOWNSHIP

SECTION RANGE

ELEVATION: 1,260FT

DRILL DEPTH:

DEPTH TO BED:

250FT

19

29N 13W 26

UTM X

559,759.06

UTMY 4,114,143.24

5FT

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

6 MI NW OF MTN GROVE REMARKS:

LOG ID: 013703

WELL TYPE Private Well

1955/01/06

TOWNSHIP RANGE SECTION **ELEVATION:** 1,283FT

DRILL DATE: DRILL DEPTH:

227FT

29N 13W 26

> UTM X **UTMY**

DEPTH TO BED:

559,659.06 4,114,245.24

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS: ABT 6 MI NW OF MTN GROVE

52

15FT

LOG ID: 005486

WELL TYPE Private Well

DRILL DATE:

1939/07/21

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,253FT

DRILL DEPTH:

70FT

29N

13W 26

> UTM X UTM Y

DEPTH TO BED: 15FT 559,559.06

4,114,753.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD 0.5 GPM

S.W.L. (AFTER CASING):

38



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012232

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE Private Well

1952/08/23 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 13W 26

ELEVATION: 1,232FT

DRILL DEPTH: 65FT **UTM X**

UTMY 558,959.06 4,114,143.24

ZONE 15

S.W.L. (BEFORE CASING): FT

10FT

10

YIELD 10.5 GPM; 6 MI NW OF MTN GROVE ON WHETSTONE **REMARKS**:

CREEK

LOG ID: 006368

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1940/07/24 **RANGE ELEVATION:** 1,346FT

29N 13W 29 DRILL DEPTH: 150FT

UTM X UTMY DEPTH TO BED: 555,137.07 15FT 4,113,557.24

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 53

LOG ID: 018538

WELL TYPE Private Well

DRILL DATE: 1959/06/29 **TOWNSHIP RANGE SECTION ELEVATION:** 1,421FT

29N 13W 3 **DRILL DEPTH:** 100FT

UTM X **UTMY**

DEPTH TO BED: 35FT 558,275.04 4,121,892.30

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** LONG SECTION; ABT 12 MI NW OF MTN GROVE

S.W.L. (AFTER CASING): 50

LOG ID: 018695

WELL TYPE Private Well

1959/07/15 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,459FT

29N

DRILL DEPTH: 220FT UTM X UTM Y

13W

3

DEPTH TO BED: 30FT 558,275.05 4,121,398.30

ZONE 15

S.W.L. (BEFORE CASING): FT ABT 10 MI NW OF MTN GROVE ON HWY W **REMARKS:**

62 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005774

DEPTH TO BED:

WELL TYPE Private Well

1939/11/03 DRILL DATE:

TOWNSHIP RANGE SECTION 29N 13W

ELEVATION:

DRILL DEPTH: 126FT

UTM X

UTMY 4,121,398.30

1,352FT

557,275.05 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

YIELD - 1/3 GPM; ABT 10 MI NW OF MTN GROVE ON HARTVILLE **REMARKS**:

3

RD

LOG ID: 008066

WELL TYPE Private Well

DRILL DATE:

1942/10/20

TOWNSHIP

SECTION RANGE

ELEVATION: 1,460FT

DRILL DEPTH:

62FT

48FT

29FT

89

29N 13W 30

> **UTM X UTMY**

553,804.08

4,113,798.25

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

44

FT

FT

YIELD - 5 QTS REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

008333

1929/05/03

SECTION TOWNSHIP RANGE

ELEVATION: 1,438FT

553,404.08

DRILL DEPTH:

53FT

29N 13W 30

UTM X UTM Y

ZONE 15

DEPTH TO BED:

4,114,344.25

15FT

26

REMARKS: YIELD - 18 G/HOUR

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026984

Private Well

DRILL DATE:

1969/04/15

TOWNSHIP RANGE

SECTION

31

ELEVATION: 1,390FT

DRILL DEPTH:

DEPTH TO BED:

251FT

35FT

29N 13W

UTM X

552.765.08

UTM Y

4,112,568.24

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI N OF NORWOOD, NEAR HEAD OF BCEK HOLLOW **REMARKS**:

S.W.L. (AFTER CASING):

46



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008062

WELL TYPE Private Well

1942/09/30 DRILL DATE:

35FT

TOWNSHIP RANGE SECTION 29N 13W 31

ELEVATION: 1,472FT

DRILL DEPTH: 91FT

UTM X 552,465.08

UTMY 4,113,023.25

ZONE 15

S.W.L. (BEFORE CASING):

FT

59

REMARKS: YIELD - 0.5 GPM

S.W.L. (AFTER CASING):

LOG ID: 008384

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1943/08/17

TOWNSHIP

29N

SECTION RANGE

ELEVATION: 1,420FT

DRILL DEPTH:

131FT 27FT

86

121

13W 32

UTM X UTMY

553,896.08

4,111,751.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

YIELD 10 G/HOUR REMARKS:

LOG ID: 013709

WELL TYPE Private Well

DRILL DATE: 1955/04/15

TOWNSHIP

SECTION RANGE

ELEVATION: 1,458FT

DRILL DEPTH:

250FT

29N 13W 33

> UTM X UTM Y

DEPTH TO BED: 130FT 556,104.07 4,112,533.23

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: OLD WELL DEEPENED 130-250'; CLOSE TO #8908; YIELD - 1 2/3

GPM

LOG ID: 007899

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1942/07/23

157FT

TOWNSHIP RANGE **SECTION**

ELEVATION: 1,326FT

29N 13W 33

UTM X

555.604.08

UTM Y 4,111,822.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

4 MI W OF MTN GROVE ON HWY 60, 2.5 MI N **REMARKS**:

S.W.L. (AFTER CASING):

64



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008908

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1945/08/20 DRILL DATE:

132FT 65FT **TOWNSHIP** 29N

RANGE SECTION 13W 33

ELEVATION:

UTM X 556,104.07

UTMY 4,112,127.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

5 MI NW OF MTN GROVE ON RIDGE ROAD **REMARKS:**

S.W.L. (AFTER CASING): 85

LOG ID: 016610

WELL TYPE Private Well

DRILL DATE:

1957/03/13

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,270FT

DRILL DEPTH:

240FT

29N 13W 34

UTM X 557,328.07

UTMY 4,112,316.23

DEPTH TO BED: 15FT

45

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 009967

WELL TYPE Private Well

DRILL DATE:

1946/10/31

TOWNSHIP 29N

RANGE 13W

SECTION 34

ELEVATION: 1,405FT

ZONE 15

UTMY

DRILL DEPTH: DEPTH TO BED: 140FT 55FT

69

UTM X 558,528.07

4,113,140.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 70 G/HOUR; 6 MI NW OF MTN GROVE

S.W.L. (AFTER CASING):

LOG ID: 026719

WELL TYPE Private Well

DRILL DATE:

1940/08/06

TOWNSHIP 29N

RANGE

SECTION

ELEVATION:

1,388FT

DRILL DEPTH:

DEPTH TO BED:

160FT 33FT

55

13W

35

UTM X

UTM Y

559.037.07

4,111,795.22

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

old well (see log #6364) deepened (see log #26719) 110-160 ft (1969);

yield from 1 to 1 2/3



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 016560

WELL TYPE Private Well

1957/07/15 DRILL DATE:

TOWNSHIP RANGE 29N 13W

SECTION

ELEVATION:

1,422FT

DRILL DEPTH:

150FT 45FT

64

35

UTM X 558,937.07

UTMY 4,112,514.23

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

REMARKS:

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 022875

Private Well

DRILL DATE:

1964/04/22

TOWNSHIP

RANGE

SECTION 35

ELEVATION:

ZONE 15

1,423FT

DRILL DEPTH:

200FT

29N 13W

UTM X

UTMY

DEPTH TO BED:

55FT

558,937.07

4,112,308.22

S.W.L. (BEFORE CASING):

110

FT

REMARKS:

YIELD - 8.5 GPM; ABT 5 MI NW OF MTN GROVE ON RIDGE ROAD

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well

006364 **DRILL DATE:**

1940/08/06

TOWNSHIP

RANGE

SECTION 35

ELEVATION:

1,388FT

DRILL DEPTH:

160FT

29N 13W

UTM X 559,037.07

UTMY 4,111,795.22

DEPTH TO BED:

33FT

REMARKS:

ZONE 15

S.W.L. (BEFORE CASING):

FT

old well (see log #6364) deepened (see log #26719) 110-160 ft (1969);

S.W.L. (AFTER CASING):

55

yield from 1 to 1 2/3

LOG ID:

WELL TYPE

012234

S.W.L. (BEFORE CASING):

Private Well

DRILL DATE:

1952/08/06

TOWNSHIP

RANGE

SECTION

ELEVATION:

UTM X

1,310FT

DRILL DEPTH:

DEPTH TO BED:

141FT

29N 13W 36

UTM Y

560.955.06

4,112,702.22 ZONE 15

FT

REMARKS:

4 MI NW OF MTN GROVE

S.W.L. (AFTER CASING):

35



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023197

WELL TYPE Private Well

1964/09/24 DRILL DATE:

TOWNSHIP 29N

RANGE SECTION 13W 6

ELEVATION:

1,376FT

DRILL DEPTH: DEPTH TO BED: 201FT 15FT

UTM X

UTMY 4,121,882.32

552,942.06

ZONE 15

S.W.L. (BEFORE CASING):

FT

160

S.W.L. (AFTER CASING):

REMARKS:

LOG ID: 022122

WELL TYPE Private Well

DRILL DATE:

1963/08/17

TOWNSHIP

SECTION RANGE

ELEVATION: 1,330FT

DRILL DEPTH:

95FT

40

29N 13W 7

UTM X

UTMY

DEPTH TO BED: 60FT

552,704.07

4,119,338.30 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 004605

WELL TYPE Private Well

DRILL DATE:

1938/01/31

TOWNSHIP 29N

RANGE SECTION **ELEVATION:** 1,242FT

DRILL DEPTH:

50FT

14W 12

UTM X **UTMY**

DEPTH TO BED:

10FT

551,914.07 4,119,375.30

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING): 11

LOG ID:

WELL TYPE

006366

Noncommunity Public Well

DRILL DATE:

1940/07/31

TOWNSHIP 29N

RANGE

SECTION

ELEVATION:

1,431FT

DRILL DEPTH:

DEPTH TO BED:

122FT

43FT

14W 13

UTM X UTM Y

552.161.08 4,116,615.28

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 2/3 GPM

S.W.L. (AFTER CASING):

108



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022888

WELL TYPE Private Well

1963/12/07 DRILL DATE: **TOWNSHIP**

RANGE SECTION 29N 14W

21

ELEVATION:

1,401FT

DRILL DEPTH: 170FT

UTM X 546,443.10

UTMY 4,115,244.28

ZONE 15

DEPTH TO BED: 15FT S.W.L. (BEFORE CASING):

FT

FT

FT

YIELD - 5 3/4 GPM **REMARKS**:

S.W.L. (AFTER CASING):

31

LOG ID: 018101

WELL TYPE Private Well

DRILL DATE:

1959/02/01

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

1,457FT

DRILL DEPTH:

105FT

29N 14W 21

> UTM X 546,843.10

UTMY 4,115,040.28

DEPTH TO BED:

30FT

50

REMARKS:

formerly in name of Harold Calhaun - 6 miles N of US Hwy 60 on Hwy Y

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

LOG ID: 027484

WELL TYPE Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION 29N

ELEVATION: 1,438FT

DRILL DEPTH:

245FT

14W 22

UTM X **UTMY**

DEPTH TO BED:

45FT

547,862.09 4,115,851.28

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

90

REMARKS:

LOG ID:

022986

WELL TYPE Private Well

DRILL DATE:

1964/01/02

TOWNSHIP

RANGE SECTION **ELEVATION:** 1,448FT

DRILL DEPTH:

DEPTH TO BED:

335FT

50FT

75

29N 14W 22

UTM X UTM Y

548.262.09

4,116,261.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

YIELD - 7.5 GPM; 7 MI SE OF HARTVILLE, 0.5 MI S OF MOAR

SCHOOL



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012300

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1953/02/19 DRILL DATE:

258FT

55FT

78

TOWNSHIP RANGE 29N

14W

SECTION 27

ELEVATION:

1,434FT

UTM X **UTMY** 547,621.09 4,113,617.26

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

formerly in name of Cash Jackson - old well to 38 ft; 1st house N of

Thorpe School N of Macomb

LOG ID: 008064

WELL TYPE Private Well

DRILL DATE:

1942/11/24

TOWNSHIP 29N

RANGE

SECTION

ELEVATION:

1,309FT

DRILL DEPTH:

70FT

14W 27

UTM X

UTMY

DEPTH TO BED: 7FT

548,521.09 4,113,515.26 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

YIELD - 1.5 GPM

LOG ID:

WELL TYPE Private Well

008332 **DRILL DATE:**

1943/05/07

TOWNSHIP 29N

RANGE SECTION **ELEVATION:**

ZONE 15

1,448FT

DRILL DEPTH:

64FT

43

14W

UTM X 548,521.09

UTMY 4,114,743.27

DEPTH TO BED:

50FT

FT **REMARKS:** YIELD - 0.5 GPM

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

026747

DRILL DATE:

1968/12/10

TOWNSHIP

RANGE

SECTION

27

ELEVATION:

1,362FT

DRILL DEPTH:

DEPTH TO BED:

270FT 5FT 29N

14W 3

UTM X

UTM Y 4,120,511.32

548.215.08

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG SECTION; ABT 3 MI E OF HARTVILLE, 1 MI S **REMARKS:**

S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007176

WELL TYPE Private Well

1941/08/13 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,383FT

> 29N 14W 31 65FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 7FT

543,682.11 4,111,975.25

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 39

LOG ID: 026447

WELL TYPE Private Well

1969// **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,420FT

29N 14W 32 DRILL DEPTH: 420FT

UTM X **UTMY** DEPTH TO BED: 65FT 544,740.10 4,113,038.26

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): **REMARKS**: NO SAMPLES 130-420'; NO PRODUCTION OR CONSTRUCTION

S.W.L. (AFTER CASING): DATA

LOG ID: 027637

WELL TYPE Private Well

DRILL DATE: 1970/12/ **TOWNSHIP RANGE SECTION ELEVATION:** 1,439FT

29N 14W 32 **DRILL DEPTH:** 665FT

UTM X **UTMY DEPTH TO BED:** 80FT 544,740.10 4,112,834.26

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 018542

WELL TYPE Private Well

1959/04/24 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,430FT

29N 14W 34 **DRILL DEPTH:** 225FT

DEPTH TO BED: 547.575.10 4,113,235.26 25FT

ZONE 15

N OF MACOMB TO OLD THORP SCHOOL, 1ST HOUSE E

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 76

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 007150

WELL TYPE Private Well

1941/08/29 DRILL DATE:

TOWNSHIP 29N

RANGE 14W 34 **ELEVATION:**

1,438FT

DRILL DEPTH: 80FT

UTM X 547,675.10

UTMY 4,112,926.26

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 009156

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

1946/03/05

TOWNSHIP 29N

RANGE

SECTION

SECTION

ELEVATION:

1,366FT

DRILL DEPTH:

100FT

8FT

40

14W 34

> **UTM X** 548,875.09

UTMY 4,113,132.26

DEPTH TO BED:

5FT

26

REMARKS:

2 MI W THEN 5 MI N OF NORWOOD

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 009146

WELL TYPE Private Well

DRILL DATE:

1946/03/29

TOWNSHIP 29N

SECTION RANGE

4 MI N & 1 MI W OF NORWOOD

ELEVATION:

1,402FT

DRILL DEPTH:

125FT

14W 35

> UTM X 550,097.09

UTMY 4,113,125.25

DEPTH TO BED:

25FT

40

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

023042

DRILL DATE:

1964/09/05

TOWNSHIP 29N

RANGE

SECTION

ELEVATION:

1,242FT

DRILL DEPTH:

DEPTH TO BED:

400FT 370FT 14W

UTM X

UTM Y

546.602.09

4,120,028.32

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

LONG SECTION; 3.5 MI SE OF HARTVILLE ON HWY Y

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 018321

WELL TYPE Oil Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,252FT

DRILL DEPTH: 29N 14W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 25FT 546,602.09 4,120,028.32

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: LONG SECTION; PLUGGED & ABANDONED - OIL & GAS TEST

S.W.L. (AFTER CASING):

LOG ID: 021642

WELL TYPE Oil Well

DRILL DATE: 1962/06/ TOWNSHIP RANGE SECTION ELEVATION: 1,305FT

DRILL DEPTH: 665FT 29N 14W 5

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 425FT 545,585.09 4,120,042.33

20NE 15

S.W.L. (BEFORE CASING): REMARKS: LONG SECTION; OLD WELL (#20996) DEEPENED 528-665 (08/1962

S.W.L. (AFTER CASING): - #21642)

LOG ID: 020996

WELL TYPE Oil Well

<u>DRILL DATE:</u> 1962/06/ <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,305FT

DRILL DEPTH: 665FT 29N 14W 5

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 425FT 545,585.09 4,120,042.33

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: LONG SECTION; OLD WELL (#20996) DEEPENED 528-665 (08/1962

<u>S.W.L. (AFTER CASING):</u> - #21642)

LOG ID:

DRILL DEPTH:

WELL TYPE

1,050FT

024565 Community Public Well

DRILL DATE: 1966/12/27 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,180FT

UTM X UTM Y

<u>DEPTH TO BED:</u> 20FT 543,669.10 4,122,442.35

14W

6

ZONE 15

29N

S.W.L. (BEFORE CASING): 12 FT REMARKS: LONG SECTION

S.W.L. (AFTER CASING): 12 FT



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023666

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1965/06/29 DRILL DATE: **TOWNSHIP**

100FT

20FT

15FT

55

29N 14W **SECTION** 6

ELEVATION: 1,202FT

RANGE

UTM X 543,428.10

UTMY 4,121,578.34

4,122,960.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG SECTION; 0.5 MI S OF HARTVILLE ON HWY 5, 0.5 MI W **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 005993

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE: 1940/03/07 **TOWNSHIP**

SECTION RANGE

ELEVATION: 1,190FT

DRILL DEPTH: 112FT 29N 14W 6

UTM X UTMY

543,428.10 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG SECTION; 2/3 MI E & 0.75 MI S OF NW CORNER OF SEC 6.

S.W.L. (AFTER CASING): 35

LOG ID: 019310

WELL TYPE Private Well

DRILL DATE: 1960/01/30

TOWNSHIP RANGE SECTION 29N 14W 8

15W

ELEVATION: 1,416FT

DRILL DEPTH: 300FT

S.W.L. (BEFORE CASING):

UTM X UTM Y

DEPTH TO BED: 60FT 545,409.10 4,119,615.32 ZONE 15

S.W.L. (AFTER CASING):

165

FT

REMARKS: 1 MI E OF HARTVILLE ON HWY 38, 3 MI S ON HWY Y

LOG ID:

013824

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1955/05/

294FT

190FT

TOWNSHIP RANGE

29N

SECTION

ELEVATION: 1,380FT

UTM Y

UTM X 541.983.11

4,122,342.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG SECTION; 1 MI W OF HARTVILLE ON HWY 38 **REMARKS:**

S.W.L. (AFTER CASING):

232



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 005526

WELL TYPE

Noncommunity Public Well

1939/07/ DRILL DATE:

TOWNSHIP RANGE SECTION

29N 15W 1

ELEVATION:

DRILL DEPTH: 187FT DEPTH TO BED: 10FT

UTM X **UTMY** 542,483.11 4,123,602.35

ZONE 15

1,306FT

S.W.L. (BEFORE CASING):

LONG SECTION **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 011536

WELL TYPE

Community Public Well

DRILL DATE:

1951/04/

TOWNSHIP

TOWNSHIP

TOWNSHIP

29N

29N

SECTION RANGE

ELEVATION: 1,402FT

DRILL DEPTH:

785FT

29N 15W

UTM X UTMY

DEPTH TO BED: 20FT

542,454.11

4,122,424.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: LONG SECTION; 8300 N & 2400' W OF SE CORNER OF SEC 1

1

S.W.L. (AFTER CASING): 217

LOG ID: 024968

WELL TYPE

Private Well

DRILL DATE:

150FT

82FT

90

RANGE SECTION 15W 15

ELEVATION: 1,273FT

DRILL DEPTH:

UTM X 539,308.14 UTM Y

DEPTH TO BED: 10FT

4,117,420.29 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: S OF HARTVILLE ON HWY 5, 2 MI W ON HEY V, 0.5 MI S

S.W.L. (AFTER CASING):

LOG ID: 011292

DRILL DEPTH:

WELL TYPE

Private Well

DRILL DATE:

1950/03/06

RANGE SECTION

15

ELEVATION: 1,406FT

DEPTH TO BED: 15FT UTM X UTM Y

538.108.15 4,118,248.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 3.5 GPM; 5 MI SW OF HARTVILLE **REMARKS**:

15W

32 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023137

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

107FT

15FT

1964/06/22 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 29N 15W 2

1,222FT **ELEVATION:**

UTM X **UTMY** 4,121,629.33

540,248.13

ZONE 15

S.W.L. (BEFORE CASING):

FT

LONG SECTION; 3 MI W OF HARTVILLE ON HWY 38 **REMARKS**:

S.W.L. (AFTER CASING): 52

LOG ID: 023799

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

TOWNSHIP SECTION RANGE

29N 15W 20 **ELEVATION:** 1,461FT

DRILL DEPTH: 150FT

25FT

360FT

240FT

232

80

UTM X **UTMY**

534,827.18 4,116,718.27

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING):

NO PRODUCTION OR CONSTRUCTION DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (AFTER CASING):

WELL TYPE

Private Well 024237

> **SECTION TOWNSHIP RANGE**

29N 15W 28

UTM X UTM Y

1,430FT

537,607.16 4,113,618.25

ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 3 MI N & 0.5 MI E OF MANSFIELD; NO PRODUCTION OR

CONSTRUCTION DATA

LOG ID: 027483

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH: 200FT

SECTION TOWNSHIP RANGE 29N

15W 6 **ELEVATION:** 1,428FT

DEPTH TO BED: 25FT UTM X UTM Y

534.186.17 4,123,251.32

ZONE 15

FT **REMARKS:** LONG SECTION

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027515

WELL TYPE Private Well

1970/10/30 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,444FT

29N 16W 27 **DRILL DEPTH:** 175FT

UTM X **UTMY** DEPTH TO BED: 20FT

528,958.24 4,114,190.22

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 75

ON HWY F, 6 MI N OF HWY 60 **REMARKS:**

LOG ID: 010871

WELL TYPE Private Well

TOWNSHIP SECTION DRILL DATE: 1949/05/ **RANGE ELEVATION:**

29N 16W 3 DRILL DEPTH: 93FT

UTM X UTMY DEPTH TO BED: 15FT 4,122,393.30 529,546.21

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS**: LONG SECTION; 0.25 MI NE OF WEBSTER-WRIGHT CO LINE

S.W.L. (AFTER CASING): 44

LOG ID: 011365

WELL TYPE Private Well

DRILL DATE: 1950/03/14 **TOWNSHIP RANGE SECTION ELEVATION:** 1,250FT

30N 12W 19 **DRILL DEPTH:** 168FT

UTM X UTM Y

DEPTH TO BED: 5FT 562,868.01 4,126,815.30

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 3 MI NE OF DAWSON ON BEAVER CREEK

S.W.L. (AFTER CASING): 66

LOG ID: 010467

WELL TYPE Private Well

1947/05/07 **RANGE SECTION DRILL DATE: TOWNSHIP ELEVATION:** 1,313FT

30N 12W 29 **DRILL DEPTH:** 125FT

DEPTH TO BED: 563.400.01 4,126,106.30 5FT

UTM X

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT 2 MI N AND 0.5 MI E OF DAWSON **REMARKS**:

73 S.W.L. (AFTER CASING):



RANGE

12W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024620

DEPTH TO BED:

WELL TYPE Private Well

1966/07/14 DRILL DATE:

TOWNSHIP 30N

SECTION 31

ELEVATION: 1,429FT

DRILL DEPTH: 222FT

UTM X 562,060.02

UTMY 4,123,546.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

110

10FT

LOG ID: 026676

WELL TYPE Private Well

DRILL DATE:

1970/11/23

TOWNSHIP

SECTION RANGE

ELEVATION:

1,435FT

DRILL DEPTH:

300FT

30N 12W

UTM X

UTMY

DEPTH TO BED:

25FT

31

561,460.03 4,123,752.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

10 MI N OF MTN GROVE ON HWY 95; SCANNED, NO SAMPLES

RUN, TOPS ONLY

LOG ID: 022129

WELL TYPE

Private Well

DRILL DATE:

1963/07/06

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,455FT

DRILL DEPTH:

160FT

30N 12W 31

DEPTH TO BED:

35FT

65

UTM X UTM Y 561,460.03 4,124,166.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 1 MI N OF DAWSON

S.W.L. (AFTER CASING):

LOG ID: 018102

WELL TYPE Private Well

DRILL DATE:

1959//

20FT

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,348FT

DRILL DEPTH:

DEPTH TO BED:

200FT

30N

12W 5

UTM X UTM Y 564.111.00 4,131,873.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: YIELD - 4.5 GPM

S.W.L. (AFTER CASING):

100



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013158

WELL TYPE Private Well

1954/07/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,304FT

30N 12W 8 **DRILL DEPTH:** 125FT

UTM X UTMY DEPTH TO BED: 10FT 564,525.00 4,130,054.29

ZONE 15

S.W.L. (BEFORE CASING): FT YIELD - 1/3 GPM; 0.5 MI E, 0.25 MI S OF GRAFF ON HWY 38 **REMARKS**:

S.W.L. (AFTER CASING): 79

LOG ID: 023981

WELL TYPE Private Well

1965/09/06 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,426FT

30N 13W 1 DRILL DEPTH: 273FT

UTM X UTMY DEPTH TO BED: 559,840.01 20FT 4,132,223.32

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING): 110

LOG ID:

WELL TYPE

Noncommunity Public Well 008916

DRILL DATE: 1945/03/21 **TOWNSHIP RANGE SECTION ELEVATION:** 1,440FT

30N 13W **DRILL DEPTH:** 292FT

UTM X **UTM Y**

DEPTH TO BED: 40FT 559,840.01 4,132,223.32 ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** GUSS. E. BECKAM, OWNER

200 S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 012862

1954/06/28 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,410FT

30N 13W 12 **DRILL DEPTH:** 400FT

UTM X DEPTH TO BED: 33FT 559.952.01 4,131,322.31

ZONE 15

UTM Y

S.W.L. (BEFORE CASING): FT 1ST HOUSE S OF DEWEY SCHOOL S OF GREEN MTN **REMARKS:**

256 S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012065

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1952/03/29 DRILL DATE:

TOWNSHIP 30N 151FT

SECTION 13

ELEVATION: 1,333FT

UTMY

4,129,010.31

10FT

13W

RANGE

UTM X 561,062.01

ZONE 15

S.W.L. (BEFORE CASING):

FT

95

1ST HOUSE N OF JCT OF HWYS 38 & A **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 022990

WELL TYPE Private Well

DRILL DATE:

1963/11/12

TOWNSHIP 30N

SECTION RANGE

ELEVATION:

1,191FT

DRILL DEPTH:

270FT

13W 15

> **UTM X UTMY**

DEPTH TO BED: 75FT

558,043.03 4,128,859.32 ZONE 15

S.W.L. (BEFORE CASING):

FT

OLD WELL DEEPENED 75-270'; 8 MI E OF HARTVILLE OFF HWY 38 **REMARKS**:

S.W.L. (AFTER CASING): 80

LOG ID: 016923

WELL TYPE

Private Well

DRILL DATE:

1957/12/

TOWNSHIP

RANGE SECTION **ELEVATION:**

1,322FT

DRILL DEPTH:

180FT

30N 13W 21

UTM X

UTM Y

DEPTH TO BED:

65FT

555,396.04

4,127,289.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: 1 MI S OF HWY 38, 1 MI W OF RAYBORN

LOG ID: 010464

WELL TYPE Private Well

DRILL DATE:

1947/05/22

TOWNSHIP

SECTION RANGE

23

ELEVATION:

1,319FT

DRILL DEPTH:

DEPTH TO BED:

260FT

15FT

30N 13W

UTM X

UTM Y

559.271.02 4,128,229.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

1 MI W OF JCT OF HWYS A & 38, RT SIDE **REMARKS**:

S.W.L. (AFTER CASING): 148



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025987

WELL TYPE Private Well

DRILL DATE: 1967/08/16 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,370FT

<u>DRILL DEPTH:</u> 150FT 30N 13W 26

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 30FT 558,854.03 4,126,026.31

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: N OF DAWSON ABT 1 MI, W ABT 0.5 MI TO TWP ROAD

S.W.L. (AFTER CASING): 77

LOG ID: 026648

WELL TYPE Private Well

DRILL DATE: 1970/10/13 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,336FT

DRILL DEPTH: 123FT 30N 13W 3

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 556,859.02 4,131,677.33

S.W.L. (BEFORE CASING): FT PEMARKS AND SECRETARY AND SECRETARY AND SECRETARY SECRETARY.

REMARKS:

S.W.L. (AFTER CASING): 50

LOG ID: 013151

WELL TYPE Private Well

<u>DRILL DATE:</u> 1954/08/02 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,270FT

<u>DRILL DEPTH:</u> 117FT 30N 13W 33

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 40FT 556,170.05 4,123,659.32

ZONE 15

36

2 MI W OF GREEN MTN, 3 MI SE OF MANES

S.W.L. (BEFORE CASING): FT REMARKS: APPROX 4 MI W OF DAWSON

S.W.L. (AFTER CASING): 48

LOG ID: 024971

WELL TYPE Private Well

DRILL DATE: 1966/12/09 TOWNSHIP RANGE SECTION ELEVATION: 1,472FT

DRILL DEPTH: 125FT UTM X UTM Y

13W

<u>DEPTH TO BED:</u> 15FT 561,243.03 4,123,562.30

ZONE 15

30N

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 55



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020404

DRILL DEPTH:

WELL TYPE Private Well

1961/05/11 DRILL DATE:

55FT

DEPTH TO BED: 45FT

22

TOWNSHIP RANGE SECTION 30N 13W 36

ELEVATION:

1,431FT

UTM X 561,243.03

UTMY 4,123,562.30

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

DAWSON SCHOOL HOUSE, NW CORNER OF DAWSON, 10 MI N OF

MTN GROVE

LOG ID: 023295

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1964/10/27

150FT

10FT

TOWNSHIP 30N

RANGE 14W

SECTION 31

ELEVATION: 1,276FT

UTM X

542,595.11

UTMY 4,123,908.35

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

72

REMARKS: 1 MI N OF HARTVILLE, 0.5 MI W OF HWY 5

LOG ID:

003456

WELL TYPE Private Well

DRILL DATE:

165FT

TOWNSHIP 30N

RANGE 14W

SECTION 34

ELEVATION:

1,132FT

DRILL DEPTH:

UTM X 547,018.08

ZONE 15

UTM Y 4,125,045.35

DEPTH TO BED:

REMARKS: LITTLE INFORMATION ON LOG

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 013821

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

1955/05/28

105FT

60FT

FT

TOWNSHIP

30N

RANGE

14W

SECTION 9

ELEVATION:

1,365FT

UTM X

UTM Y

545,452.07 4,131,567.37 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023216

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,516FT

30N 15W 17 **DRILL DEPTH:** 118FT

UTM X **UTMY** DEPTH TO BED: 15FT 535,412.12 4,130,365.35

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 33

LOG ID: **WELL TYPE** Private Well 022270

DRILL DATE: 1963/10/07 **TOWNSHIP SECTION RANGE ELEVATION:** 1,475FT

30N 15W 26 110FT DRILL DEPTH:

UTM X UTMY DEPTH TO BED: 65FT 539,589.12 4,126,400.35

ZONE 15

UTM X

UTM Y

S.W.L. (BEFORE CASING): FT 3 MI N OF HARTVILLE ON HWY 5 REMARKS:

S.W.L. (AFTER CASING): 70

LOG ID: **WELL TYPE** Private Well

025981

Private Well

DRILL DATE: 1967/09/25 **TOWNSHIP RANGE SECTION ELEVATION:** 1,450FT

30N 16W 10 **DRILL DEPTH:** 150FT

UTM X UTM Y

4 MI N OF DUNCAN; NO SAMPLES 115-150'

DEPTH TO BED: 35FT 527,503.15 4,131,901.33

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 50

LOG ID: **WELL TYPE**

022268

1963/07/29 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,568FT

30N 16W 23 160FT **DRILL DEPTH:**

REMARKS:

DEPTH TO BED: 530,368.16 4,128,749.33 75FT

ZONE 15

S.W.L. (BEFORE CASING): FT

YIELD - 3.5 GPM; ON F HWY **REMARKS**: S.W.L. (AFTER CASING): 90



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025510

WELL TYPE Private Well

1967/10/ DRILL DATE:

TOWNSHIP 30N

SECTION 24

ELEVATION: 1,510FT

DRILL DEPTH:

200FT

UTM X

UTMY

DEPTH TO BED: 40FT 531,496.15

4,128,604.33 ZONE 15

S.W.L. (BEFORE CASING):

NO DATA, SAMPLES SENT IN BY OWNER, NOT DRILLER **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 010473

WELL TYPE Private Well

DRILL DATE:

1948/08/31

TOWNSHIP 31N

RANGE

SECTION

ELEVATION: 1,235FT

DRILL DEPTH:

165FT

12W 19

RANGE

16W

UTM X

562,837.99

UTMY 4,137,349.31

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

3.5 MI FROM GREEN MTN REMARKS:

S.W.L. (AFTER CASING): 65

LOG ID: 010458

WELL TYPE Private Well

DRILL DATE: 1947/08/29

TOWNSHIP

SECTION RANGE

ELEVATION:

1,209FT

DRILL DEPTH:

115FT

31N 12W 32

UTM X

DEPTH TO BED:

15FT

UTM Y 563,484.99 4,134,465.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS: 4 MI NE OF JCT OF HWYS 38 & A

50

LOG ID: 010463

WELL TYPE Private Well

DRILL DATE:

1947/09/26

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,295FT

DRILL DEPTH:

DEPTH TO BED:

228FT 10FT 31N

12W 32

UTM X

UTM Y

563.684.99

4,133,843.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 3 MI N OF GRAFF

S.W.L. (AFTER CASING): 126



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025439

DRILL DEPTH:

WELL TYPE Private Well

1967/04/15 DRILL DATE:

305FT

DEPTH TO BED: 15FT **TOWNSHIP RANGE SECTION** 31N 12W 9

ELEVATION:

1,463FT

UTMY

UTM X

565,877.97 4,139,953.29

ZONE 15

S.W.L. (BEFORE CASING):

YIELD - 4.5 GPM; 5 MI NW OF NO 1 SCHOOL HOUSE ON HWY AH **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 014132

WELL TYPE Private Well

DRILL DATE:

1955/09/06

TOWNSHIP

RANGE

SECTION

ELEVATION: 1,248FT

DRILL DEPTH:

200FT

31N 13W 14

UTM X

UTMY 4,139,492.32

559,402.99 ZONE 15

DEPTH TO BED:

5FT

43

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

Private Well

011479

LOG ID:

1950/09/01

DRILL DATE:

31N

RANGE 13W

SECTION

ELEVATION:

1,284FT

DRILL DEPTH:

100FT

TOWNSHIP

16

UTM X 555,610.01

UTM Y 4,138,699.34

DEPTH TO BED:

36FT

70

FT

FT

REMARKS: 1 MI N, 1.2 MI W OF MANES

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

021493

Noncommunity Public Well

195FT

50FT

DRILL DATE:

1962/10/

TOWNSHIP

RANGE

SECTION

ELEVATION:

1,320FT

DRILL DEPTH:

DEPTH TO BED:

31N

13W 19

UTM X

UTM Y

552.437.03 4,136,777.35

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT **REMARKS:**

2 MI W OF MANES ON HWY H

S.W.L. (AFTER CASING): 135



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012863

DEPTH TO BED:

WELL TYPE Private Well

1954/07/12 DRILL DATE: **TOWNSHIP RANGE**

SECTION 31N 13W 21

ELEVATION: 1,278FT

DRILL DEPTH: 225FT

UTM X **UTMY** 555,816.01 4,137,099.34

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 0.25 GPM, 10 G/HOUR @ 220'; @ MANES **REMARKS**:

S.W.L. (AFTER CASING): 200

LOG ID:

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE

Noncommunity Public Well 012674

40FT

50FT

DRILL DATE: 1953/08/22

TOWNSHIP SECTION RANGE ELEVATION: 1,304FT

31N 13W 22 441FT

UTM X UTMY 4,137,076.33

556,803.01 ZONE 15

S.W.L. (BEFORE CASING): 155 FT **REMARKS**: SEE LOG #12420 - OLD WELL DEEPENED

S.W.L. (AFTER CASING): 200 FT

LOG ID: 017675

DRILL DEPTH:

WELL TYPE

Private Well

SECTION DRILL DATE: 1958/10/30 **TOWNSHIP RANGE ELEVATION:** 1,278FT

> 31N 13W 22 275FT

UTM X UTM Y

DEPTH TO BED: 557,203.01 4,136,878.33 65FT

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS: 0.5 MI E OF MANES ON HWY A

245

S.W.L. (AFTER CASING):

LOG ID: 013156

WELL TYPE

300FT

Private Well

1954/09/14 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,227FT

DRILL DEPTH: UTM X UTM Y

13W

22

DEPTH TO BED: 557.503.01 4,136,778.33 15FT

ZONE 15

S.W.L. (BEFORE CASING): 102 FT old well (see log #9478) deepened (see log #13156) 156-300 ft (1954); **REMARKS:**

31N

south and east of Manes FΤ S.W.L. (AFTER CASING): 140



RANGE

RANGE

13W

13W

SECTION

22

OLD WELL (#12420) DEEPENED (#12674) 329-441',

SECTION

22

SECTION

22

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

556,716.01

ELEVATION:

UTM X

556,603.01

ELEVATION:

UTM X

557,503.01

ZONE 15

ZONE 15

ZONE 15

1,304FT

UTMY

4,137,020.33

1,321FT

UTMY

4,137,276.33

1.227FT

UTM Y

4,136,778.33

LOG ID: 012420

WELL TYPE

Noncommunity Public Well

1953/08/22 DRILL DATE:

DRILL DEPTH: 441FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING): 155 FT

S.W.L. (AFTER CASING): 200 FT

WELL TYPE

LOG ID: 009464

Noncommunity Public Well

DRILL DATE:

1946/08/06

DRILL DEPTH: 125FT

DEPTH TO BED: 38FT

S.W.L. (BEFORE CASING):

86

FT

FT

FT

REMARKS: YIELD - 2.5 GPM

TOWNSHIP

31N

TOWNSHIP

31N

TOWNSHIP

31N

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 009478

WELL TYPE

Private Well

DRILL DATE:

1946/08/17

DRILL DEPTH:

300FT

DEPTH TO BED: 15FT

S.W.L. (BEFORE CASING): 102

S.W.L. (AFTER CASING):

140

REMARKS:

old well (see log #9478) deepened (see log #13156) 156-300 ft (1954);

south and east of Manes

RANGE

13W

LOG ID: 019308

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1960/07/01

125FT

55FT

55

TOWNSHIP 31N

RANGE SECTION 13W

27

ELEVATION:

1,371FT

UTM X UTM Y

556.808.01 4,135,055.33

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT **REMARKS**:

ABT 2 MI S OF MANES ON HWY A, 0.75 MI W



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011487

WELL TYPE Private Well

1950/10/26 DRILL DATE:

TOWNSHIP RANGE SECTION 31N 13W

ELEVATION:

DRILL DEPTH: 142FT

UTM X

UTMY

DEPTH TO BED: 16FT 553,403.02

4,136,343.35

1,096FT

ZONE 15

S.W.L. (BEFORE CASING):

FT

2 MI W OF MANES **REMARKS**:

S.W.L. (AFTER CASING):

40

LOG ID: 023122

WELL TYPE Private Well

DRILL DATE:

1964/10/05

TOWNSHIP

SECTION RANGE

ELEVATION:

ZONE 15

1,099FT

DRILL DEPTH:

91FT

31N 13W 3

UTM X

556,808.99

UTMY 4,142,688.34

DEPTH TO BED:

20FT

66

CK

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT **REMARKS:**

ABT 3 MI NE OF MANES ON HWY 135, 1ST HOUSE N OF BEAVER

29

LOG ID: 023162

WELL TYPE

Private Well

DRILL DATE:

1964/09/16

TOWNSHIP

RANGE

SECTION 36

ELEVATION: 1,276FT

DRILL DEPTH:

290FT

31N 13W

> UTM X UTM Y

DEPTH TO BED:

5FT

560,815.00

4,134,422.31

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: ABT 2 MI E & 1 MI N OF GREEN MTN, JUST N OF HWY JJ

TOWNSHIP

130

LOG ID:

WELL TYPE Private Well

023810

1965/08/27

RANGE

SECTION

ELEVATION:

1,382FT

UTM Y

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

220FT

30FT

31N 13W 36

561.015.00

UTM X

4,133,416.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

1 MI E, & SLIGHTLY N OF GREEN MTN. **REMARKS**:

S.W.L. (AFTER CASING):

187



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008913

WELL TYPE Private Well

<u>DRILL DATE:</u> 1945/05/04 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,314FT

<u>DRILL DEPTH:</u> 200FT 31N 13W 36

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 25FT 560,515.00 4,133,919.31

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: HOUSE ON RD 1.5 MI NE OF GREEN MTN

S.W.L. (AFTER CASING): 150

LOG ID: 023211

WELL TYPE Private Well

DRILL DATE: 1964/10/16 TOWNSHIP RANGE SECTION ELEVATION: 1,164FT

DRILL DEPTH: 150FT 31N 13W

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 5FT 555,611.00 4,141,917.34

4

OLD WELL DEEPENED 80-130'; ON W SIDE HWY Z

17

THE BEB. 351.00 4,141,911 20NE 15

S.W.L. (BEFORE CASING): FT REMARKS: ABT 3 MI N OF MANES TO AUSTIN'S STORE, S TO 1ST HOUSE

S.W.L. (AFTER CASING): 83

LOG ID: 013802

WELL TYPE Private Well

<u>DRILL DATE:</u> 1955/05/17 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 1,330FT

<u>DRILL DEPTH:</u> 130FT 31N 14W 10

REMARKS:

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 80FT 547,686.03 4,139,864.38

S.W.L. (BEFORE CASING): FT PEMARKS OF BANGET REPEACE SO 1001 ON MICHE HAVE Z

S.W.L. (AFTER CASING): 55

LOG ID: 025246

WELL TYPE
Private Well

DRILL DATE: 1967/03/23 TOWNSHIP RANGE SECTION ELEVATION: 1,323FT

<u>DRILL DEPTH:</u> 385FT <u>UTM X</u> UTM Y

14W

<u>DEPTH TO BED:</u> 40FT 543,849.05 4,138,357.39

ZONE 15

31N

S.W.L. (BEFORE CASING): FT REMARKS: H & S RANCH

S.W.L. (AFTER CASING): 200



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025093

WELL TYPE Private Well

1966/07/ DRILL DATE:

TOWNSHIP 31N

SECTION

ELEVATION:

1,209FT

DRILL DEPTH:

DEPTH TO BED:

275FT

20FT

21

14W 18

UTM X

UTMY

543,213.05

4,138,589.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 20 GPM @ 135' - POOR SAMPLES **REMARKS**:

RANGE

S.W.L. (AFTER CASING):

LOG ID: 025248

WELL TYPE Private Well

DRILL DATE:

1967/04/07

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION: 1,255FT

DRILL DEPTH:

380FT

31N 14W 19

UTM X

UTMY

DEPTH TO BED: 65FT 542,396.06

4,138,202.39

ZONE 15

S.W.L. (BEFORE CASING):

FT

100

REMARKS: H & S RANCH; YIELD 18 GPM @ 290'

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

027205 **DRILL DATE:**

RANGE

SECTION

ELEVATION: 1,148FT

DRILL DEPTH: DEPTH TO BED: 256FT

20FT

1969/12/24

31N 14W 4

UTM X UTM Y

546,198.03

4,142,192.39

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

7 MI NE OF GROVE SPRING ON HWY H; POOR SAMPLES

198

LOG ID: 028199

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

125FT

20FT

TOWNSHIP 31N

RANGE 14W

SECTION 6

ELEVATION:

UTM X

1,228FT

UTM Y

542.846.04 4,141,596.40

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

SCANNED, NO LITHOLOGIES SHOWN

S.W.L. (AFTER CASING): 60



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 027117

DRILL DEPTH:

WELL TYPE Private Well

1968/11/12 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

REMARKS:

31N 403FT

UTM X **UTMY** DEPTH TO BED: 155FT 537,382.07 4,139,953.38

15W

1.75 MI E OF GROVESPRING

2 MI E OF GROVESPRING ON HWY H

15

ZONE 15

1,413FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 293

LOG ID: 026155

WELL TYPE Private Well

DRILL DATE: **TOWNSHIP SECTION** 1967/08/16 **RANGE ELEVATION:** 1,405FT

31N 15W 16 DRILL DEPTH: 320FT

FT

UTM X UTMY DEPTH TO BED: 60FT 536,984.07 4,139,576.38

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 241

LOG ID: 021813

WELL TYPE Private Well

SECTION DRILL DATE: 1963/04/03 **TOWNSHIP RANGE ELEVATION:** 1,428FT

> 31N 15W 16 221FT

REMARKS:

DRILL DEPTH: UTM X UTM Y **DEPTH TO BED:** 105FT 536,584.08 4,138,766.38

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** 1.3 MI E OF GROVESPRINGS

S.W.L. (AFTER CASING): 151

LOG ID: 027101

WELL TYPE Private Well

1969/10/21 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 1,314FT

DRILL DEPTH: 235FT UTM X UTM Y

15W

17

DEPTH TO BED: 30FT 534.172.08 4,139,198.37

ZONE 15 S.W.L. (BEFORE CASING): FT

31N

REMARKS: AT GROVESPRING

S.W.L. (AFTER CASING): 166



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022062

DEPTH TO BED:

WELL TYPE Private Well

1963/06/07 DRILL DATE:

31N

RANGE SECTION 15W 17

ELEVATION:

1,325FT

DRILL DEPTH:

S.W.L. (AFTER CASING):

170FT 10FT

UTM X **UTMY**

535,172.08

4,139,604.37

S.W.L. (BEFORE CASING):

FT

AT GROVESPRING, JCT OF HWY 5 **REMARKS**:

ZONE 15

LOG ID:

020204

WELL TYPE

Noncommunity Public Well

67

DRILL DATE:

1961/08/30

TOWNSHIP

TOWNSHIP

SECTION RANGE

ELEVATION: 1,369FT

DRILL DEPTH:

650FT

31N 15W 17

UTM X

535,472.07

UTMY 4,139,908.38

ZONE 15

DEPTH TO BED:

10FT

FT **REMARKS:**

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

216 FT

166

LOG ID:

WELL TYPE

Private Well

DRILL DATE:

1967/03/24

TOWNSHIP

SECTION RANGE

ELEVATION:

533,933.08

1,270FT

DRILL DEPTH:

025101

237FT

31N 15W

UTM X

UTM Y 4,139,638.37

DEPTH TO BED:

35FT

18

SECTION

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

100

REMARKS: 0.5 MI NW OF GROVESPRING

LOG ID:

WELL TYPE Private Well

024805 **DRILL DATE:**

1966/04/22

TOWNSHIP

RANGE

ELEVATION:

1,431FT

DRILL DEPTH:

DEPTH TO BED:

126FT

10FT

49

31N

15W 21

UTM X

UTM Y

536,351.08 4,136,956.37 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

FT

REMARKS:

3/1/2007

6,509



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023394

DRILL DEPTH:

WELL TYPE Private Well

202FT

1965/01/19 DRILL DATE: **TOWNSHIP RANGE SECTION**

> 31N 15W

29

UTM X **UTMY**

ELEVATION:

DEPTH TO BED: 25FT 534,518.09 4,136,586.36

1,354FT

ZONE 15

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 55

3.25 AIR MI SW OF GROVE SPRING **REMARKS**:

LOG ID: 013812

WELL TYPE Private Well

1955/06/18 **TOWNSHIP SECTION** DRILL DATE: **RANGE ELEVATION:** 1,426FT

31N 15W 32 DRILL DEPTH: 220FT

UTM X **UTMY** DEPTH TO BED: 80FT 534,103.11 4,134,377.36

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 60

LOG ID: 023140

WELL TYPE Private Well

DRILL DATE: 1964/06/10 **TOWNSHIP RANGE SECTION ELEVATION:** 1,466FT

31N 15W 33 **DRILL DEPTH:** 211FT

UTM X UTM Y

YIELD - 10 GPM @ 200', 2 GPM @ 100'

DEPTH TO BED: 30FT 536,105.10 4,133,939.36

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS:** 3 MI S OF GROVESPRING ON HWY 5

REMARKS:

S.W.L. (AFTER CASING): 81

LOG ID: 027182

WELL TYPE Private Well

1969/10/29 **SECTION DRILL DATE: TOWNSHIP RANGE ELEVATION:** 1,379FT

31N 15W 5 **DRILL DEPTH:** 246FT

UTM X UTM Y DEPTH TO BED: 30FT 535.013.06 4,142,423.38

ZONE 15

S.W.L. (BEFORE CASING): FT 2 MI N OF GROVESPRING ON HWY 5; VERY POOR SAMPLES **REMARKS**:

S.W.L. (AFTER CASING): 171



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021769

DRILL DEPTH:

WELL TYPE Private Well

1963/03/23 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,359FT

> 31N 15W 220FT

UTM X **UTMY** DEPTH TO BED: 30FT

5

535,413.06 4,141,811.38

ZONE 15

S.W.L. (BEFORE CASING): FT 1.5 MI N OF GROVESPRING ON HWY 5 **REMARKS**:

S.W.L. (AFTER CASING): 139

LOG ID: **WELL TYPE**

027068 Private Well

DRILL DATE: **TOWNSHIP SECTION** 1969/11/25 **RANGE ELEVATION:** 1,360FT

31N 15W 8 DRILL DEPTH: 227FT

UTM X UTMY DEPTH TO BED: 30FT 535,392.06 4,141,623.38

ZONE 15 FT

S.W.L. (BEFORE CASING): 1 MI N OF GROVESPRING **REMARKS**:

S.W.L. (AFTER CASING): 110

LOG ID: 021771

WELL TYPE Private Well

DRILL DATE: 1963/03/02 **TOWNSHIP RANGE SECTION ELEVATION:** 1,345FT

31N 15W 8

DRILL DEPTH: 225FT UTM X UTM Y

DEPTH TO BED: 20FT 535,392.07 4,141,011.38

1 MI N OF GROVESPRING ON HWY 5

12

ZONE 15 S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 112

LOG ID: 025058

WELL TYPE Private Well

1967/02/24 **RANGE DRILL DATE: TOWNSHIP SECTION ELEVATION:** 1,330FT

DRILL DEPTH: 180FT UTM X UTM Y

16W

DEPTH TO BED: 531.112.08 4,141,303.37 55FT ZONE 15

S.W.L. (BEFORE CASING): FT

31N

0.25 MI FROM HWY DD, W OF GROVESPRING **REMARKS**: S.W.L. (AFTER CASING): 55

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025744

WELL TYPE Private Well

1967/04/24 DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:** 1,290FT

31N 16W 3 **DRILL DEPTH:** 100FT

REMARKS:

UTM X **UTMY** DEPTH TO BED: 5FT

5 MI NW OF GROVESPRING

528,298.08 4,142,586.37

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 19

LOG ID: **WELL TYPE** Private Well 021498

DRILL DATE: **TOWNSHIP SECTION** 1962/12/03 **RANGE ELEVATION:** 1,363FT

32N 12W 31 DRILL DEPTH: 260FT

FT

UTM X **UTMY** DEPTH TO BED: 30FT 561,827.97 4,144,321.32

ZONE 15 S.W.L. (BEFORE CASING): FT

5 MI S OF LYNCHBURG ON HWY KK REMARKS: S.W.L. (AFTER CASING): 78

LOG ID:

022123

WELL TYPE Private Well

SECTION DRILL DATE: 1963/09/09 **TOWNSHIP RANGE ELEVATION:** 1,162FT

32N 14W 25 **DRILL DEPTH:** 180FT

UTM X UTM Y **DEPTH TO BED:** 120FT 550,319.01 4,144,779.38

ZONE 15 FT

S.W.L. (BEFORE CASING): **REMARKS**: 2 MI N OF VORKTAIL STORE

S.W.L. (AFTER CASING): 130

LOG ID: **WELL TYPE**

DRILL DEPTH:

027161 Noncommunity Public Well

151FT

DRILL DATE: 1969/07/16 **TOWNSHIP RANGE SECTION ELEVATION:** 1,122FT

UTM X UTM Y

14W

33

DEPTH TO BED: 545.912.03 4,143,481.40 5FT

ZONE 15 S.W.L. (BEFORE CASING): FT

32N

REMARKS: POOR SAMPLES

S.W.L. (AFTER CASING): 62



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024774

WELL TYPE Private Well

1966/07/ DRILL DATE:

TOWNSHIP 32N

SECTION

ELEVATION:

1,342FT

DRILL DEPTH:

191FT

20

UTM X

UTM Y 4,147,238.40

DEPTH TO BED:

85FT

121

535,688.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

FT

4.5 MI N OF GROVESPRING **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 026150

WELL TYPE Private Well

DRILL DATE:

1967/10/03

TOWNSHIP

RANGE

RANGE

15W

SECTION 21

ELEVATION:

1,337FT

DRILL DEPTH:

236FT

32N 15W

UTM X

UTMY

DEPTH TO BED:

180FT

REMARKS:

5.5 MI N OF GROVESPRING

536,296.03 4,148,011.40

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

160

LOG ID: 023139

WELL TYPE Private Well

1964/04/24

TOWNSHIP

RANGE SECTION **ELEVATION:**

ZONE 15

1,360FT

DRILL DATE: DRILL DEPTH:

175FT

32N 15W 21

UTM X 536,896.04

UTM Y 4,146,799.40

DEPTH TO BED:

90FT

119

REMARKS:

5.5 MI N OF GROVESPRING, 0.5 MI E OF HWY 5

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 011018

WELL TYPE Private Well

DRILL DATE:

1947//

TOWNSHIP 32N

RANGE

SECTION 24

ELEVATION:

1,227FT

DRILL DEPTH:

DEPTH TO BED:

100FT 25FT

15W

UTM X

UTM Y

541,523.03 4,147,257.41 ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 5 MIS OF ORLA

S.W.L. (AFTER CASING): 45



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011081

WELL TYPE Private Well

1947// DRILL DATE:

TOWNSHIP 32N

RANGE SECTION **ELEVATION:**

1,201FT

DRILL DEPTH:

40FT

15W 24

UTM X

UTM Y

DEPTH TO BED:

10FT

540,923.03

4,147,257.41

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

5 MI W OF ORLA **REMARKS**:

LOG ID: 023158

WELL TYPE Private Well

DRILL DATE:

1964/07/20

TOWNSHIP

SECTION RANGE

ELEVATION: 1,375FT

DRILL DEPTH:

321FT

32N 15W 32

UTM X

UTMY 4,143,826.39

DEPTH TO BED:

85FT

234

535,430.05 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

3 MI N OF GROVESPRING ON HWY 5 REMARKS:

LOG ID:

027096

WELL TYPE Private Well

1968/10/23

TOWNSHIP RANGE **SECTION**

32

ELEVATION:

1,367FT

DRILL DATE: DRILL DEPTH:

372FT

32N 15W 32

> UTM X UTM Y

DEPTH TO BED:

85FT

4,143,826.39

ZONE 15

S.W.L. (BEFORE CASING):

234

FT

FT

REMARKS: 4 MI N OF GROVESPRING ON HWY 5

S.W.L. (AFTER CASING):

LOG ID: 026145

WELL TYPE Private Well

DRILL DATE:

1967/10/19

TOWNSHIP 32N

SECTION RANGE

ELEVATION:

535,230.05

1,373FT

DRILL DEPTH:

350FT

65FT

15W

UTM X

UTM Y 535.630.05 4,144,636.39

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

243

REMARKS:

3.5 MI N OF GROVESPRING

S.W.L. (AFTER CASING):

3/1/2007

6,514



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023741

WELL TYPE Private Well

DRILL DATE: 1965/06/28 **TOWNSHIP RANGE SECTION ELEVATION:** 1,345FT

> 32N 16W 27 233FT

DRILL DEPTH: <u>UTM X</u> UTM Y DEPTH TO BED: 75FT

528,187.05 4,145,993.38

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 170

LOG ID: **WELL TYPE** 025067 Private Well

DRILL DATE: 1966/10/31 **TOWNSHIP RANGE SECTION ELEVATION:** 1,368FT

32N 16W 34 DRILL DEPTH: 211FT

UTM X <u>UTM Y</u> DEPTH TO BED: 35FT 528,555.07 4,143,558.37

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 2.5 MI E OF RADAR

S.W.L. (AFTER CASING): 145

WRIGHT